

# FLOS

FU101100 Transparent

## Bibliothèque Nationale


Designed by Philippe Starck, 2013

Halogen - 150W



Floor lamp emitting diffused light. Base, rod stand and diffuser stand in chrome-plated die-cast zinc with base cover in steel. Internal diffuser and lamp-holder stand in opal injection die-stamped PC. External diffuser available in PVC fabric, injection die-stamped methacrylate with clear or smoke-grey finish, or in silver or bronze on the inner surface, by vacuum aluminum coating. Upper ring in clear injection die-stamped PC with stainless steel brackets. Features three rotating shelves.

Designed by Philippe Starck, Bibliothèque Nationale imagines a playful, fairy-tale library where books seem to soar towards the light. Three cantilevered shelves rotate around the stem, offering a customisable space for books and personal objects while illuminating the room. Complete with a discreet USB port, it is a lamp for modern living, facilitating both busy routines and moments of rest. Reflecting Starck's characteristic wit, the name is a playful nod to France's national library.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607010518       |
| Mounting               | Floor               |
| Environments           | Indoor dry location |
| Light Source Type      | Bulb                |
| Light sources included | No                  |
| Lamp category          | Halogen             |
| Lamp type              | T                   |
| Lamp holders           | E26                 |
| Number of lamps        | 1                   |
| Power (W)              | 150                 |

### Physical

|                     |             |
|---------------------|-------------|
| Color               | Transparent |
| Length (in)         | 15.75       |
| Cord color          | Black       |
| Cord length (in)    | 79.134      |
| Net weight (lb)     | 22.82       |
| Gross weight (lb)   | 38.16       |
| Package volume (in) | 24100.2     |
| IP internal         | 20          |

### Download

|                                       |                     |
|---------------------------------------|---------------------|
| <a href="#">Mounting instructions</a> | <a href="#">PDF</a> |
| <a href="#">Mounting instructions</a> | <a href="#">PDF</a> |



|    |
|----|
| IP |
| 20 |

|    |
|----|
| IK |
| 00 |

Photometric


|                    |           |
|--------------------|-----------|
| Lighting type      | Total     |
| Light distribution | Symmetric |
| Extreme cut off    | No        |

Electrical

|                    |                   |
|--------------------|-------------------|
| Insulation class   | II                |
| Frequency (Hz)     | 60                |
| Main voltage (Vac) | 120               |
| Dimmable           | Yes               |
| Dimming interface  | Dimmer Integrated |
| Plug type          | Type A            |
| Batteries inside   | No                |

# Spare Parts

- |     |                               |          |
|-----|-------------------------------|----------|
| 01. | Transparent Diffuser Assembly | F6278000 |
| 02. | Black Led Dimmer 4W -25W      | RF28209  |
| 03. | Kit of 5 black feet for base  | RF05574  |





F6278000

Transparent Diffuser Assembly



RF28209

Black Led Dimmer 4W -25W



RF05574

Kit of 5 black feet for base