

# FLOS



F012A01CU18.C Deep Brown/Travertino Imperiale

## IC F1 Outdoor H 1350 mm

Designed by Michael Anastassiades



Outdoor floor lamp emitting diffused light. Frame in brushed stainless steel, brushed brass or painted finish. Opalescent diffuser in blown glass. Structure treated with chemical conversion process for resistance to atmospheric agents. Light source with E14/E27 connection not included. Supplied with 5 m outdoor cable with Schuko IP44 plug and IP65 backlit floor dimmer for ON/OFF and 30–100% brightness regulation. Dimmable LED bulb sold separately.

Designed by Michael Anastassiades, IC Outdoor takes the iconic IC language outdoors. Inspired by the visual tension of a sphere poised in perfect equilibrium, the design explores balance and movement through minimal, poetic forms. With its slender vertical profile, IC F Outdoor introduces a distinctly refined sculptural presence to exterior spaces.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

|          |               |
|----------|---------------|
| EAN      | 8054793217994 |
| Mounting | Floor         |

### Physical

|                   |                                 |
|-------------------|---------------------------------|
| Color             | Deep Brown/Travertino Imperiale |
| Orientation       | Fixed                           |
| Net weight (lb)   | 11.62                           |
| Gross weight (lb) | 11.22                           |
| IP internal       | 65                              |

### Download

|                       |                     |
|-----------------------|---------------------|
| Family spec sheet     | <a href="#">ZIP</a> |
| Mounting instructions | <a href="#">ZIP</a> |

### Photometric Files


|           |                     |
|-----------|---------------------|
| LDT / IES | <a href="#">ZIP</a> |
|-----------|---------------------|

### Technical Drawings

|    |                     |
|----|---------------------|
| 2D | <a href="#">ZIP</a> |
| 3D | <a href="#">ZIP</a> |



Schematic light drawing



Photometric

Extreme cut off      No

Notes

Bulb not included. LED: max 8W - E14

Bulbs



NOT INCLUDED

RF34658

LED lamp G9 5W 100-130V 2700K

# FLOS



F012B01CU18.C Deep Brown/Travertino Imperiale

## IC F2 Outdoor H 1852 mm

Designed by Michael Anastassiades



Outdoor floor lamp emitting diffused light. Frame in brushed stainless steel, brushed brass or painted finish. Opalescent diffuser in blown glass. Structure treated with chemical conversion process for resistance to atmospheric agents. Light source with E14/E27 connection not included. Supplied with 5 m outdoor cable with Schuko IP44 plug and IP65 backlit floor dimmer for ON/OFF and 30–100% brightness regulation. Dimmable LED bulb sold separately.

Designed by Michael Anastassiades, IC Outdoor takes the iconic IC language outdoors. Inspired by the visual tension of a sphere poised in perfect equilibrium, the design explores balance and movement through minimal, poetic forms. With its slender vertical profile, IC F Outdoor introduces a distinctly refined sculptural presence to exterior spaces.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Main specifications

|          |               |
|----------|---------------|
| EAN      | 8054793219448 |
| Mounting | Floor         |

### Physical

|                   |                                 |
|-------------------|---------------------------------|
| Color             | Deep Brown/Travertino Imperiale |
| Orientation       | Fixed                           |
| Net weight (lb)   | 18.03                           |
| Gross weight (lb) | 16.4                            |
| IP internal       | 65                              |

### Download

|                       |                     |
|-----------------------|---------------------|
| Family spec sheet     | <a href="#">ZIP</a> |
| Mounting instructions | <a href="#">ZIP</a> |

### Photometric Files


|           |                     |
|-----------|---------------------|
| LDT / IES | <a href="#">ZIP</a> |
|-----------|---------------------|

### Technical Drawings

|    |                     |
|----|---------------------|
| 2D | <a href="#">ZIP</a> |
| 3D | <a href="#">ZIP</a> |



Schematic light drawing



Photometric

Extreme cut off      No

Notes

Bulb not included. LED: max 15W - E27

Bulbs



NOT INCLUDED

RF34655

15W E26 T38 Led Lamp