

Palma



3700

Design By Antoni Arola

VIBIA

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a lacquered metal support. Sconces are available in various compositions. It introduces flora combined with indoor lighting, aimed at creating a sense of well-being, calm in the environment.

Spec sheet



Finish 18 Graphite
ADAPTA RF 9913

LED 2700 K / 3500 K

Control 1-10V

Electrical connection Surface

Light source 2 x LED 4.6W 500mA

LED CRI>90 868 lm 94.34

Driver Constant Current 500 mA 120 V
50/60 Hz

Dimmable LED IP20 Dry Location

Remarks Title 24 (JA8) compliant


Application Wall

Packaging 1 Box
22.83 in x 10.24 in x 5.71 in
Gross weight 2.42 lbs
Net weight 4.54 lbs
Vol. 0.7699 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency 100%

Total Flux 576 lm

Maximum Value 107.81 cd/klm

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma



3704

Design By Antoni Arola

VIBIA

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a lacquered metal support. Sconces are available in various compositions. It introduces flora combined with indoor lighting, aimed at creating a sense of well-being, calm in the environment.

Spec sheet




Finish	18 Graphite ADAPTA RF 9913
LED	2700 K / 3500 K
Control	1-10V
Electrical connection	Surface
Light source	4 x LED 4.6W 500mA
LED	CRI>90 1736 lm 49.57
Driver	Constant Current 500 mA 120 V 50/60 Hz
	Dimmable LED IP20  Dry Location
Remarks	Plants not included
Application	Wall
Packaging	2 Box 67.72 in x 12.99 in x 12.2 in Gross weight 17.93 lbs Net weight 11.78 lbs Vol. 6.4132 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency	100%
Total Flux	1153 lm
Maximum Value	106.36 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

Palma


3710

Design By Antoni Arola

VIBIA

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a lacquered metal support. Sconces are available in various compositions. It introduces flora combined with indoor lighting, aimed at creating a sense of well-being, calm in the environment.

Spec sheet



Finish 18 Graphite
ADAPTA RF 9913

LED 2700 K / 3500 K

Control 1-10V

Electrical connection Surface

Light source 2 x LED 4.6W 500mA

LED CRI>90 868 lm 49.57

Driver Constant Current 500 mA 120 V
50/60 Hz

Dimmable LED IP20 Dry Location

Remarks Title 24 (JA8) compliant


Application Wall

Packaging 1 Box
22.83 in x 10.24 in x 5.71 in
Gross weight 4.54 lbs
Net weight 2.42 lbs
Vol. 0.7699 ft3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 100%

Total Flux 577 lm

Maximum Value 107.81 cd/klm

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma


3714

VIBIA

Design By Antoni Arola

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a lacquered metal support. Sconces are available in various compositions. It introduces flora combined with indoor lighting, aimed at creating a sense of well-being, calm in the environment.

Spec sheet



Finish 18 Graphite
ADAPTA RF 9913

LED 2700 K / 3500 K

Control 1-10V

Electrical connection Surface

Light source 2 x LED 4.6W 500mA

LED CRI>90 868 lm 49.57

Driver Constant Current 500 mA 120 V
50/60 Hz

Dimmable LED IP20 Dry Location

Remarks Title 24 (JA8) compliant

Application Wall

Packaging 2 Box
25 in x 15.55 in x 8.58 in
Gross weight 12.73 lbs
Net weight 9.67 lbs
Vol. 2.1295 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency 100%

Total Flux 577 lm

Maximum Value 107.81 cd/klm

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma

3716

VIBIA

Design By Antoni Arola

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a lacquered metal support. Sconces are available in various compositions. It introduces flora combined with indoor lighting, aimed at creating a sense of well-being, calm in the environment.

Spec sheet



Finish 18 Graphite
ADAPTA RF 9913

LED 2700 K / 3500 K

Control 1-10V

Electrical connection Surface

Light source 4 x LED 4.6W 500mA

LED CRI>90 1736 lm 49.57

Driver Constant Current 500 mA 120 V
50/60 Hz

Dimmable LED IP20 Dry Location

Remarks Title 24 (JA8) compliant


Application Wall

Packaging 2 Box
25 in x 15.55 in x 8.58 in
Gross weight 16.56 lbs
Net weight 12.6 lbs
Vol. 2.1295 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency 100%

Total Flux 1153 lm
Maximum Value 107.81 cd/klm

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma

3720

VIBIA

Design By Antoni Arola

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a suspended planter. An almost imperceptible suspension gives the appearance of orbs floating in space, adding to the majesty of your indoor arrangement. Available various compositions with or without a planter.

Spec sheet



Optional: undefined

Finish	18 Graphite ADAPTA RF 9913
LED	2700 K / 3500 K
Control	DALI / 0-10V
Electrical connection	Surface
Light source	2 x LED 4.6W 500mA
LED	CRI>90 868 lm 49.57
Driver	Constant Current 500 mA 120~277 V 50/60 Hz
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 12.99 in x 12.2 in x 17.72 in Gross weight 8.79 lbs Net weight 6.23 lbs Vol. 1.6245 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency	100%
Total Flux	576 lm
Maximum Value	107.50 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma


3724

VIBIA

Design By Antoni Arola

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a suspended planter. An almost imperceptible suspension gives the appearance of orbs floating in space, adding to the majesty of your indoor arrangement. Available various compositions with or without a planter.

Spec sheet




Optional: undefined

Finish	18 Graphite ADAPTA RF 9913
LED	2700 K / 3500 K
Control	0-10V / DALI
Electrical connection	Surface
Light source	2 x LED 4.6W 500mA
LED	CRI>90 868 lm 49.57
Driver	Constant Current 500 mA 120~277 V 50/60 Hz
Remarks	Dimmable LED IP20 Multi-volt  Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 15.35 in x 12.2 in x 24.8 in Gross weight 11.48 lbs Net weight 7.38 lbs Vol. 2.6875 ft3

Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Efficiency	100%
Total Flux	576 lm
Maximum Value	107.81 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma

3726

VIBIA

Design By Antoni Arola

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a suspended planter. An almost imperceptible suspension gives the appearance of orbs floating in space, adding to the majesty of your indoor arrangement. Available various compositions with or without a planter.

Spec sheet



Optional: undefined

Finish	 18 Graphite ADAPTA RF 9913
LED	2700 K / 3500 K
Control	DALI / 0-10V
Electrical connection	Surface
Light source	4 x LED 4.6W 500mA
LED	CRI>90 1736 lm 49.57
Driver	Constant Current 500 mA 120~277 V 50/60 Hz
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 31.34 in x 11.5 in x 12.28 in Gross weight 14.03 lbs Net weight 9.78 lbs Vol. 2.5603 ft3

Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data

Palma

3728

VIBIA

Design By Antoni Arola

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a suspended planter. An almost imperceptible suspension gives the appearance of orbs floating in space, adding to the majesty of your indoor arrangement. Available various compositions with or without a planter.




Spec sheet



Optional: undefined

Finish	18 Graphite ADAPTA RF 9913
LED	2700 K / 3500 K
Control	0-10V / DALI
Electrical connection	Surface
Light source	4 x LED 4.6W 500mA
LED	CRI>90 1736 lm 49.57
Driver	Constant Current 500 mA 120~277 V 50/60 Hz
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 37.01 in x 12.2 in x 15.35 in Gross weight 15.35 lbs Net weight 10.51 lbs Vol. 4.0118 ft3

Lighting effect
General lighting
Lamp for general lighting that equally distributes the light in all directions.



Efficiency	100%
Total Flux	1153 lm
Maximum Value	107.51 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma

3730

VIBIA

Design By Antoni Arola

Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a suspended planter. An almost imperceptible suspension gives the appearance of orbs floating in space, adding to the majesty of your indoor arrangement. Available various compositions with or without a planter.

Spec sheet




Optional: undefined

Finish	18 Graphite ADAPTA RF 9913
LED	2700 K / 3500 K
Control	DALI / 0-10V
Electrical connection	Surface
Light source	6 x LED 4.6W 500mA
LED	CRI>90 2604 lm 49.57
Driver	Constant Current 500 mA 120~277 V 50/60 Hz
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 24.8 in x 22.83 in x 12.99 in Gross weight 20.07 lbs Net weight 13.33 lbs Vol. 4.2555 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency	100%
Total Flux	1729 lm
Maximum Value	107.50 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Palma


3734

VIBIA

Design By Antoni Arola

Nature takes control of space. With the pendant lamps, the interior ambiance takes on a life of its own with the possibility of integrating plants with the lighting compositions.

Spec sheet



Optional: undefined

Finish 18 Graphite
ADAPTA RF 9913

LED 2700 K / 3500 K

Control 0-10V / DALI

Electrical connection Surface

Light source 4 x LED 4.6W 500mA
Light source 4 x LED 4.6W 500mA

LED CRI>90 1828 lm 49.57

Driver Constant Current 500 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt

Remarks Title 24 (JA8) compliant

Application Pendant

Packaging 1 Box
72.13 in x 11.81 in x 11.81 in
Gross weight 20.84 lbs
Net weight 13.11 lbs
Vol. 5.8199 ft3


Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.





Photometric Data



Nature takes control of space. With the pendant lamps, the interior ambiance takes on a life of its own with the possibility of integrating plants with the lighting compositions.

Spec sheet



Optional: undefined

Finish 18 Graphite
ADAPTA RF 9913

LED 2700 K / 3500 K

Control DALI / 0-10V

Electrical connection Surface

Light source 6 x LED 4.6W 500mA
Light source 6 x LED 4.6W 500mA

LED CRI>90 2742 lm 49.57

Driver Constant Current 500 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt

Remarks Plants not included


Application Pendant

Packaging 1 Box
85.43 in x 12.99 in x 12.2 in
Gross weight 27.07 lbs
Net weight 17.97 lbs
Vol. 7.8364 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency 100%

Total Flux 1729 lm

Maximum Value 97.46 cd/klm

Palma


3750

VIBIA

Design By Antoni Arola




Vibia presents Palma designed by Antoni Arola. It includes hand-blown glass spheres paired with a lacquered metal support. Sconces are available in various compositions. It introduces flora combined with indoor lighting, aimed at creating a sense of well-being, calm in the environment.

Spec sheet



Finish	18 Graphite ADAPTA RF 9913
LED	2700 K / 3500 K
Control	1-10V
Electrical connection	Surface
Light source	6 x LED 4.6W 500mA
LED	CRI>90 2604 lm 94.34
Driver	Constant Current 500 mA 120 V 50/60 Hz
	Dimmable LED IP20 Dry Location
Remarks	Plants not included
Application	Wall
Packaging	2 Box 24.41 in x 22.83 in x 15.35 in Gross weight 16.87 lbs Net weight 23.35 lbs Vol. 8.8111 ft3

Lighting effect
General lighting
Lamp for general lighting that equally distributes the light in all directions.



Maximum Value 221.08 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com