

Superlooon


Designed by Jasper Morrison, 2015

48W - 2716lm - 2200-2800K



Adjustable floor lamp emitting direct light. Painted or chrome-plated aluminium body with spinning head, die-cast joints and extruded stem. Silk-screened PMMA diffuser with Edge Lighting technology. Optical switch sensor with Warm Tone dimming on the stem. Plug-in power supply with interchangeable plugs included.

Designed by Jasper Morrison in 2015, Superlooon was born with the emergence of Edge Lighting. Struck by its ability to channel light sideways through a flat disc, the designer imagined a lamp that would mimic the soft, harmonious glow of the full moon. The result was Superlooon, a perfectly circular light source mounted on a gyroscopic axis that allows the disc to rotate smoothly in any direction. Morrison described Superlooon as the answer to the question of what to do with this intriguing technology.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

Mounting	Floor
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	48
System flux (lm)	2716

Physical

Color	Black
Length (in)	29.68
Cord color	Black
Net weight (lb)	26.45
Gross weight (lb)	40.01
Package volume (in)	6683.77
IP internal	20

Download


Mounting instructions	PDF
Mounting instructions	PDF

Photometric Files


LDT / IES	LDT
-----------	-----

Technical Drawings

2D	ZIP
3D	ZIP



Schematic light drawing



Photometric


Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2200-2800
Extreme cut off	No

Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Spare Parts



- | | | |
|-----|---------------------------------------|-----------|
| 01. | Superloon Black diffuser | F6632030 |
| 02. | Superloon Mobile legs | RF25185 |
| 03. | Superloon Black electrified fixed leg | RF6630230 |
| 04. | Black plug assembly kit & 48V driver | RF6600130 |



F6632030

Superloon Black diffuser



RF25185

Superloon Mobile legs



RF6630230

Superloon Black electrified fixed
leg



RF6600130

Black plug assembly kit & 48V
driver