

Class


2800

VIBIA

Design By Sebastian Herkner

Class is an outdoor beacon lamp in which matter and light come together in a single body. The rigid stem rises elegant, while the light passes softly through a cylinder diffuser of translucent fluted glass.

Spec sheet




Finish	11 Black NCS S 8500-N
LED	2700 K
Control	TRIAC / 0-10V
Electrical connection	Remote
Light source	1 x LED STRIP 3,5W 150mA
LED	CRI>90 495 lm 141
Driver	Constant Current 180 mA 120~277 V 50/60 Hz
	☐ Dimmable ☒ LED ☒ IP65 ☒ Multi-volt 
Application	Outdoor
Packaging	2 Box 46.46 in x 13.78 in x 14.57 in Gross weight 51.1 lbs Net weight 42.29 lbs Vol. 6.5191 ft3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	94.86 lm/W
Total Flux	332.01 lm
Maximum Value	42.99 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.
USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Class


2805

Design By Sebastian Herkner

VIBIA

Class is a double outdoor beacon lamp in which matter and light come together in a single body. The rigid stem rises elegant, while the light passes softly through its cylinders, asymmetrically placed.

Spec sheet



Finish 11 Black
NCS S 8500N

LED 2700 K

Control 0-10V / TRIAC

Electrical connection Remote

Light source 2 x LED STRIP 3,5W 150mA

LED CRI>90 990 lm 141

Driver Constant Current 350 mA 120~277 V
50/60 Hz

☐ Dimmable LED IP65 Multi-volt 


Application Outdoor

Packaging 2 Box
46.46 in x 13.78 in x 14.57 in
Gross weight 65.2 lbs
Net weight 56.39 lbs
Vol. 6.5191 ft3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 94.86 lm/W

Total Flux 664.03 lm
Maximum Value 85.44 cd

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Class


2810

VIBIA

Design By Sebastian Herkner

Class is an outdoor bollard in which matter and light come together in a single body. The matte black stem contrasts with the fluted surface of the glass cylinder. The light bathes a wide area of outdoor space.

Spec sheet



Finish	11 Black NCS S 8500N
LED	2700 K
Control	0-10V / TRIAC
Electrical connection	Remote
Light source	1 x LED STRIP 7W 300mA
LED	CRI>90 990 lm 141
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
	☐ Dimmable ☒ LED ☒ IP65 ☒ Multi-volt 
Application	Outdoor
Packaging	2 Box 114.96 in x 12.6 in x 12.4 in Gross weight 90.31 lbs Net weight 77.09 lbs Vol. 12.0954 ft3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	94.86 lm/W
Total Flux	664.03 lm
Maximum Value	85.98 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Class


2815

Design By Sebastian Herkner

VIBIA

Class is an outdoor pillar lantern in which matter and light come together in a single body. The matte black stem contrasts with the fluted surface of the glass cylinders. The light bathes a wide area of outdoor space thanks to its double asymmetry.

Spec sheet



Finish 11 Black
NCS S 8500N

LED 2700 K

Control 0-10V / TRIAC

Electrical connection Remote

Light source 2 x LED STRIP 7W 300mA

LED CRI>90 1980 lm 141

Driver Constant Current 700 mA 120~277 V
50/60 Hz

☐ Dimmable **LED** **IP65** **Multi-volt** 


Application Outdoor

Packaging 2 Box
114.96 in x 12.6 in x 12.4 in
Gross weight 125.11 lbs
Net weight 111.89 lbs
Vol. 12.0954 ft³



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 94.86 lm/W

Total Flux 1328.07 lm

Maximum Value 169.66 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

Class

2820

VIBIA

Design By Sebastian Herkner

The Class wall lamp brings matter and light together in a single body. The matte black stem contrasts with the fluted surface of the glass cylinder, bathing a wide area of outdoor space with its soft light.

Spec sheet




Finish	11 Black NCS S 8500N
LED	2700 K
Control	0-10V / TRIAC
Electrical connection	Surface
Light source	1 x LED STRIP 3,5W 150mA
LED	CRI>90 495 lm 141
Driver	Constant Current 180 mA 120~277 V 50/60 Hz
	Dimmable LED IP65 Multi-volt 
Application	Outdoor
Packaging	1 Box 31.34 in x 11.5 in x 12.28 in Gross weight 9.69 lbs Net weight 6.39 lbs Vol. 2.5603 ft3


Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	94.86 lm/W
Total Flux	332.01 lm
Maximum Value	129.48 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Class

2825

VIBIA

Design By Sebastian Herkner

The Class wall lamp brings matter and light together in a single body. The matte black stem contrasts with the fluted surface of the glass cylinder, bathing a wide area of outdoor space with its soft light.

Spec sheet



Finish	11Black NCS S 8500N
LED	2700 K
Control	0-10V / TRIAC
Electrical connection	Surface
Light source	1 x LED STRIP 7W 300mA
LED	CRI>90 990 lm 141
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
	Dimmable LEDIP65Multi-volt UL US
Application	Outdoor
Packaging	1 Box 44.57 in x 11.81 in x 11.81 in Gross weight 14.1 lbs Net weight 9.69 lbs Vol. 3.5951 ft3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	94.86 lm/W
Total Flux	664.03 lm
Maximum Value	85.98 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com