


Wireline

Designed by Formafantasma, 2019

45W - 2793lm - 2700K - CRI> 90

Suspension lamp emitting diffused light. Tubular diffuser in transparent extruded glass with internal opaline polycarbonate insert. CNC-machined stainless-steel ferrules. Flat extruded rubber power cable doubles as a suspension element. Injection-moulded polycarbonate ceiling rose with integrated electronics supporting PUSH, 1–10 V, potentiometer and DALI dimming systems. Can be installed in a series of modules.

Wireline reduces the lamp to its bare essentials, transforming the power cable into the defining feature of the design. By elevating a functional element into a striking visual presence, it balances industrial precision with poetic intent. The result embodies Formafantasma’s exploration of material experimentation and emotional experience and their fascination with light as one of design’s most transformative frontiers.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607038789
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	45
System power (W)	45
System flux (lm)	2793

Physical


Color	Pink
Length (in)	51.18
Cord color	Pink
Cord length (in)	159.449
Canopy color	Pink
Canopy height (in)	2.756
Net weight (lb)	16.51
Gross weight (lb)	22.71
Package volume (in)	2948.68
IP internal	20

Download

Mounting instructions	Download PDF
Spare Parts	Download PDF

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F






Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmable 0-10V, Dimmable 1-10V, Dimmable DALI 1, Dimmable Push
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Power supply unit for led | RF22934 |
| 02. | Led dimmer kit | RF35452 |
| 03. | Wireline Assembly Rose Cover
Pink | RF9523134 |
| 04. | Wireline Assembly Suspension
Rose for Wirelines Pink | RF30036 |
| 05. | WireLine Pink Wire | F9522034 |
| 06. | WireLine Body | F9521000 |

DOWNLOAD



RF22934

Power supply unit for led



RF35452

Led dimmer kit



RF9523134

Wireline Assembly Rose Cover
Pink



RF30036

Wireline Assembly Suspension
Rose for Wirelines Pink



F9522034

WireLine Pink Wire



F9521000

WireLine Body