


SuperWire T

Designed by Formafantasma, 2024

18W - 1200lm - 2700K - CRI> 90

Table lamp emitting diffused light. Structure of planar glass hexagonal panels joined by polished aluminium elements, forming a single module surmounted by a hexagonal glass cover. Equipped with a custom-made light source that emits warm, uniform light along its entire length and can be easily removed for replacement or repair.

Formafantasma's SuperWire is born from the designers' experimentation with LED technology, resulting in a modular collection that merges an industrial attitude with timeless design codes. Stemming from a complex creative process, it reflects the studio's blend of poetic aesthetics with environmental commitment and is a rare example of a lighting design with a removable, replaceable LED light source. The floor version is a tribute to the historic Luminator by the Castiglioni brothers.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607070222
Mounting	Table
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	Filament LED
Power (W)	18
System power (W)	18
System flux (lm)	1200

Physical

Color	Steel
Length (in)	17.68
Cord color	Clear
Cord length (in)	78.740
Net weight (lb)	19.84
Gross weight (lb)	37.59
Package volume (in)	14323.61
IP internal	20

Download


Mounting instructions [Download PDF](#)

Photometric Files


ULD [Download ULD](#)
LDT / IES [Download ZIP](#)

Technical Drawings

2D [Download ZIP](#)
3D [Download ZIP](#)



Schematic light drawing



Photometric


Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Dimmable
Dimming interface	Switch Integrated (Remote Dimmable)
Plug type	Type A, Type C, Type G
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Spare Parts



- | | | |
|-----|--|---------------|
| 01. | Superwire Table diffuser assembly | D301T04A0AASZ |
| 02. | Superwire Table short glass plate and bushings | RF301T400 |
| 03. | Superwire Table short glass plates and bushings kit 6 pcs | RF301T500 |
| 04. | Superwire Table Led L450 25MA/42VDC/27K filament | RF301T200 |
| 05. | Superwire Table Led L450 25MA/42VDC/27K filament kit 6 pcs | RF301T300 |
| 06. | Black plug assembly kit & 48V driver | RF6600130 |
| 07. | Superwire Kit with special screws | RF301T100 |



D301T04A0AASZ

Superwire Table diffuser
assembly



RF301T400

Superwire Table short glass plate
and bushings



RF301T500

Superwire Table short glass
plates and bushings kit 6 pcs



RF301T200

Superwire Table Led L450
25MA/42VDC/27K filament



RF301T300

Superwire Table Led L450
25MA/42VDC/27K filament kit 6
pcs



RF6600130

Black plug assembly kit & 48V
driver



RF301T100

Superwire Kit with special screws