

SuperWire F


Designed by Formafantasma, 2024

56W - 4134lm - 2700K - CRI> 90



Floor lamp emitting diffused light. Structure of planar glass panels joined by polished aluminium elements, forming hexagonal modules stacked on a steel tripod base. Equipped with a custom-made light source that emits warm, uniform light along its entire length and can be easily removed for replacement or repair.

Formafantasma's SuperWire is born from the designers' experimentation with LED technology, resulting in a modular collection that merges an industrial attitude with timeless design codes. Stemming from a complex creative process, it reflects the studio's blend of poetic aesthetics with environmental commitment and is a rare example of a lighting design with a removable, replaceable LED light source. The floor version is a tribute to the historic Luminator by the Castiglioni brothers.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607068304
Mounting	Floor
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	Filament LED
Power (W)	56
System power (W)	56
System flux (lm)	4134

Physical

Color	Steel
Length (in)	31.18
Cord color	Clear
Cord length (in)	118.110
Net weight (lb)	27.12
Gross weight (lb)	40.35
Package volume (in)	8593.64
IP internal	20

Download

Mounting instructions

ZIP

Photometric Files

ULD

ULD

LDT / IES

ZIP


Technical Drawings

2D


ZIP

3D

ZIP



Schematic light drawing



Photometric


Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Driver	Remote included
Dimmable	Yes
Dimming type	Dimmable
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Superwire Floor/Suspension Long glass plate and bushings | RF301F200 |
| 02. | Superwire Floor/Suspension Long glass plate and bushings kit 6 pcs | RF301F300 |
| 03. | Superwire Floor/Suspension Led L750 40MA/42VDC/27K filament | RF301F400 |
| 04. | Superwire Floor/Suspension Led L750 40MA/42VDC/27K filament kit 6 pcs | RF301F500 |
| 05. | Superwire Floor Brill leg assembly | RF301F164 |
| 06. | Black plug assembly kit & 48V driver | RF6600130 |
| 07. | Superwire Floor Switch dimmer assembly 48V | RF37195 |
| 08. | Superwire Kit with special screws | RF301T100 |
| 09. | Superwire F - Leg fixing screw kit | RF301F600 |



RF301F200

Superwire Floor/Suspension Long glass plate and bushings



RF301F300

Superwire Floor/Suspension Long glass plate and bushings kit 6 pcs



RF301F400

Superwire Floor/Suspension Led L750 40MA/42VDC/27K filament



RF301F500

Superwire Floor/Suspension Led L750 40MA/42VDC/27K filament kit 6 pcs



RF301F164

Superwire Floor Brill leg assembly



RF6600130

Black plug assembly kit & 48V driver



RF37195

Superwire Floor Switch dimmer assembly 48V



RF301T100

Superwire Kit with special screws



RF301F600

Superwire F - Leg fixing screw kit