



ARMCHAIR

Cold injected polyurethane with internal steel frame.

As standard, polyurethane complies with CAL TB 117 without flame retardants; the flame-retardant version BS 5852, crib 5 is available with an 8% surcharge. Swivel base in painted steel or with oak covering. The cover of the shell is not removable and the front quilt is attached to the shell with a zip. The codes 03P and 03Q include the quilt.

FOOTSTOOL

Resin structure covered with polyurethane foam. As standard, polyurethane complies with BS 5852, crib 5; available, at no extra cost, the CAL TB 117 version without flame retardants. Fixed base in painted steel.

CHAIR

Cold injected polyurethane with internal steel frame.

As standard, polyurethane complies with CAL TB 117 without flame retardants; the flame-retardant version BS 5852, crib 5 is available with an 8% surcharge. Base in painted oak.

NOTE:

- Recommended fabrics: check out www.moroso.it/productname --> "Configure your product" or monet.moroso.it.

POLTRONA

Poliuretano schiumato a freddo con struttura in acciaio. Di serie, poliuretano conforme a CAL TB 117 privo di ritardanti di fiamma; disponibile la versione ignifuga BS 5852, crib 5 con sovrapprezzo dell'8%. Basamento girevole in acciaio verniciato o con copertura in rovere. La scocca non è sfoderabile, mentre l'imbottitura anteriore è unita alla scocca tramite una zip divisibile. I cod. 03P e 03Q comprendono la trapunta.

POUF POGGIAPIEDI

Struttura in resina rivestita in poliuretano espanso. Di serie, poliuretano conforme a BS 5852, crib 5; disponibile, senza sovrapprezzo, la versione CAL TB 117 privo di ritardanti di fiamma. Basamento fisso in acciaio verniciato.

SEDIA

Poliuretano schiumato a freddo con struttura in acciaio. Di serie, poliuretano conforme a CAL TB 117 privo di ritardanti di fiamma; disponibile la versione ignifuga BS 5852, crib 5 con sovrapprezzo dell'8%. Basamento in rovere verniciato.

NOTA:

- Tessuti consigliati: consulta www.moroso.it/nomeprodotto --> "Configura il tuo prodotto" oppure monet.moroso.it.



Technical tests - Prove tecniche

CLARISSA CHAIR (cod. 050)
EN 1728:2012+AC:2013 clause 6.4
EN 1728:2012+AC:2013 clause 6.5
EN 1728:2012+AC:2013 clause 6.17
ANSI BIFMA X5.1-2017/24
ANSI-BIFMA X5.1-2017/17

Steel base colors Colori basi in acciaio



ANTHRACITE
RAL 7016



COPPER
BROWN

Wood finishing Finiture legno



BLACK
oak



NATURAL
oak



NATURAL OIL
oak

Armchair Relax with steel base

Poltrona relax base acciaio


03P

5,9 yd.

109,8 ft²

35,3 ft³

114,6



Armchair Relax with wooden base covering

Poltrona relax copribase legno


03Q

5,9 yd.

109,8 ft²

35,3 ft³

114,6



Quilt

Trapunta

340

3,3 yd.

Chair

Sedia

050


2,4 yd.

43,1 ft²

10,6 ft³

24,3

FSC® Certified



Stool

Pouf


017

1,9 yd.

37,7 ft²

7,1 ft³

44,1





STOOL SANTONI®

Resin structure covered with polyurethane foam. As standard, polyurethane complies with BS 5852, crib 5; available, at no extra cost, the CAL TB 117 version without flame retardants. Fixed base in painted steel.

ARMCHAIR SANTONI®

Cold injected polyurethane with internal steel frame. As standard, polyurethane complies with CAL TB 117 without flame retardants; the flame-retardant version BS 5852, crib 5 is available with an 8% surcharge. Swivel base in painted steel or with oak covering.

The shell is upholstered in special Santoni® leather which is handcoloured with the "velatura technique" (up to 15 layers of colour). Available only in green colour version with leather colour laces.

NOTE:

- Variations and colours differences are due to the hand colouring of the leather and are not to be considered as imperfections
- Add 4 weeks to standard lead time.

POUF SANTONI®

Struttura in resina rivestita in poliuretano espanso. Di serie, poliuretano conforme a BS 5852, crib 5; disponibile, senza sovrapprezzo, la versione CAL TB 117 privo di ritardanti di fiamma. Basamento fisso in acciaio verniciato.

POLTRONA RELAX SANTONI®

Poliuretano schiumato a freddo con struttura in acciaio. Di serie, poliuretano conforme a CAL TB 117 privo di ritardanti di fiamma; disponibile la versione ignifuga BS 5852, crib 5 con sovrapprezzo dell'8%. Basamento girevole in acciaio verniciato o con copertura in rovere.

Scocca rivestita in pelle speciale Santoni® colorata a mano con processo di velatura (fino a 15 passaggi di coloritura), unica versione colore verde. Laccetti in unico colore cuoio.

NOTE:

- Eventuali variazioni di colore, dovute alla lavorazione a mano della pelle, non sono da considerarsi difetti
- Aggiungere 4 settimane alle tempistiche di consegna standard.

Steel bases colors Colori basi in acciaio



ANTHRACITE
RAL 7016



COPPER
BROWN

Wood finishing Finiture legno



BLACK
oak



NATURAL
oak



NATURAL OIL
oak


Armchair Relax Santoni ®

Poltrona Relax Santoni ®

35,3 ft³ 114,6

03K

\$



Stool Santoni ®

Pouf Santoni ®

706,3 ft³ 55,1

08X

\$

