

FLOS

 AU140031 Matte Black

2097/30 US Chandelier with Incandescent & LED light bulbs


Designed by Gino Sarfatti, 1958



Incandescent - 30 x 15W

Suspension lamp emitting diffused light. Central steel structure with brass arms, available chrome-plated, matt black, matt white or brass, each holding an exposed bulb. Exposed wiring. Steel ceiling fitting and rose.

Born in Venice, Gino Sarfatti drew inspiration from the traditional Venetian chandelier for 2097, a minimalist design as modern today as when conceived in 1958. Stripped to its essence, the only decorative element is the exposed wiring. Sarfatti transformed function into ornament by embracing technology rather than concealing it. Originally produced by Arteluce, 2097 embodies his vision of lighting as both an essential function and a bold architectural statement.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Download

[Mounting instructions](#)



Main specifications

EAN	8059607012673
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	Incandescent
Lamp type	S
Lamp holders	E12
Number of lamps	30
Power (W)	15

Physical

Color	Matte Black
Length (in)	34.65
Cord color	Black
Cord length (in)	110.236
Canopy color	Black
Canopy height (in)	1.102
Net weight (lb)	11.62
Gross weight (lb)	12.57
Package height (in)	2.95
Package width (in)	10.63
Package length (in)	29.53
Package volume (in)	926.83
IP internal	20



IP	IK
20	00


Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Spare Parts



01.	2097 Ceiling Rose	RLU706700
02.	2097/30 Opal black short arm (180mm)	RF22385
03.	2097/30 Opal black medium arm (330mm)	RF22388
04.	2097/30 Opal black long arm (430mm)	RF22389
05.	2097 E14 lamp holder	RL7050100
06.	2097 Opal black screw kit	RF1400100
07.	2097/18-30 Opal black lower cap	RF1400200



RLU706700
2097 Ceiling Rose



RF22385
2097/30 Opal black short arm
(180mm)



RF22388
2097/30 Opal black medium arm
(330mm)



RF22389
2097/30 Opal black long arm
(430mm)



RL7050100
2097 E14 lamp holder



RF1400100
2097 Opal black screw kit



RF1400200
2097/18-30 Opal black lower cap

FLOS

 AU140231 Matte Black

2097/30 (clear bulbs)
Designed by Gino Sarfatti, 1958



LED retrofit - 30 x 3W

Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated, matte black, matte white or golded. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607080283
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp holders	E12
Number of lamps	30
Power (W)	3

Physical

Color	Matte Black
Length (in)	34.65
Cord length (in)	110.236
Canopy height (in)	1.102
Net weight (lb)	12.63
Gross weight (lb)	14.09
Package volume (in)	1169.77
IP internal	20



Download

Mounting instructions  PDF

Photometric Files

LDT / IES  LDT

Technical Drawings

2D  ZIP


3D  ZIP



Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **G**

Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



INCLUDED


RF35784
Clear LED Lamp 2,7W E12 120V
2700K T26 - Dimmable - 32pc



NOT INCLUDED

RF35782
Clear LED Lamp 7W E12 120V
2700K T26 - Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | 2097 Ceiling Rose | RLU706700 |
| 02. | 2097/30 Opal black short arm
(180mm) | RF22385 |
| 03. | 2097/30 Opal black medium arm
(330mm) | RF22388 |
| 04. | 2097/30 Opal black long arm
(430mm) | RF22389 |
| 05. | 2097 E12 Black lamp holder US | RF27104 |
| 06. | 2097 Opal black screw kit | RF1400100 |
| 07. | 2097/18-30 Opal black lower cap | RF1400200 |



RLU706700
2097 Ceiling Rose



RF22385
2097/30 Opal black short arm
(180mm)



RF22388
2097/30 Opal black medium arm
(330mm)



RF22389
2097/30 Opal black long arm
(430mm)



RF27104
2097 E12 Black lamp holder US



RF1400100
2097 Opal black screw kit



RF1400200
2097/18-30 Opal black lower cap

FLOS

AU140531 Matte Black


2095/30 UL

Designed by Gino Sarfatti, 1958

Incandescent - 30 x 15W

Suspension lamp emitting diffused light. Central steel structure with brass arms, available chrome-plated, matt black, matt white or brass, each holding an exposed bulb. Exposed wiring. Steel ceiling fitting and rose.

Born in Venice, Gino Sarfatti drew inspiration from the traditional Venetian chandelier for 2097, a minimalist design as modern today as when conceived in 1958. Stripped to its essence, the only decorative element is the exposed wiring. Sarfatti transformed function into ornament by embracing technology rather than concealing it. Originally produced by Arteluce, 2097 embodies his vision of lighting as both an essential function and a bold architectural statement.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607033562
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	Incandescent
Lamp type	S
Lamp holders	E12
Number of lamps	30
Power (W)	15

Physical

Color	Matte Black
Length (in)	34.65
Cord color	Black
Cord length (in)	110.236
Canopy color	Black
Canopy height (in)	1.102
Net weight (lb)	11.57
Gross weight (lb)	12.79
Package height (in)	2.95
Package width (in)	10.63
Package length (in)	29.53
Package volume (in)	926.83
IP internal	20

Download

Mounting instructions





IP	IK
20	00

Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF35784

Clear LED Lamp 2,7W E12 120V
2700K T26 - Dimmable - 32pc




NOT INCLUDED

RF35782

Clear LED Lamp 7W E12 120V
2700K T26 - Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | 2097 Ceiling Rose | RLU706700 |
| 02. | 2097/30 Opal black short arm
(180mm) | RF22385 |
| 03. | 2097/30 Opal black medium arm
(330mm) | RF22388 |
| 04. | 2097/30 Opal black long arm
(430mm) | RF22389 |
| 05. | 2097 E12 Black lamp holder US | RF27104 |
| 06. | 2097 Opal black screw kit | RF1400100 |
| 07. | 2097/18-30 Opal black lower cap | RF1400200 |



RLU706700
2097 Ceiling Rose



RF22385
2097/30 Opal black short arm
(180mm)



RF22388
2097/30 Opal black medium arm
(330mm)



RF22389
2097/30 Opal black long arm
(430mm)



RF27104
2097 E12 Black lamp holder US



RF1400100
2097 Opal black screw kit



RF1400200
2097/18-30 Opal black lower cap

FLOS

AU140557 Chrome


2097/30 UL

Designed by Gino Sarfatti, 1958

Incandescent - 30 x 15W

Suspension lamp emitting diffused light. Central steel structure with brass arms, available chrome-plated, matt black, matt white or brass, each holding an exposed bulb. Exposed wiring. Steel ceiling fitting and rose.

Born in Venice, Gino Sarfatti drew inspiration from the traditional Venetian chandelier for 2097, a minimalist design as modern today as when conceived in 1958. Stripped to its essence, the only decorative element is the exposed wiring. Sarfatti transformed function into ornament by embracing technology rather than concealing it. Originally produced by Arteluce, 2097 embodies his vision of lighting as both an essential function and a bold architectural statement.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607033630
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	Incandescent
Lamp type	S
Lamp holders	E12
Number of lamps	30
Power (W)	15

Physical

Color	Chrome
Length (in)	34.65
Cord color	Black
Cord length (in)	110.236
Canopy color	Black
Canopy height (in)	1.102
Net weight (lb)	11.57
Gross weight (lb)	12.79
Package height (in)	2.95
Package width (in)	10.63
Package length (in)	29.53
Package volume (in)	926.83
IP internal	20

Download

Mounting instructions





IP	IK
20	00

Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF35784

Clear LED Lamp 2,7W E12 120V
2700K T26 - Dimmable - 32pc




NOT INCLUDED

RF35782

Clear LED Lamp 7W E12 120V
2700K T26 - Dimmable

Spare Parts



- | | | |
|-----|--------------------------------------|-----------|
| 01. | 2097 Ceiling Rose | RLU706700 |
| 02. | 2097/30 Chrome short arm
(180mm) | RL7050457 |
| 03. | 2097/30 Chrome medium arm
(330mm) | RL7050557 |
| 04. | 2097/30 Chrome long arm
(430mm) | RL7050657 |
| 05. | 2097 E12 Black lamp holder US | RF27104 |
| 06. | Chrome screw kit | RL7050757 |
| 07. | Chrome lower cap | RL7050900 |



RLU706700
2097 Ceiling Rose



RL7050457
2097/30 Chrome short arm
(180mm)



RL7050557
2097/30 Chrome medium arm
(330mm)



RL7050657
2097/30 Chrome long arm
(430mm)



RF27104
2097 E12 Black lamp holder US



RL7050757
Chrome screw kit



RL7050900
Chrome lower cap