

Circle of Light 12" Soft Piece

Designed by FLOS Architectural

Providing stunning illumination, the Circle of Light employs conical snoots with a reverse bevel edge so that glare is completely eliminated. Choose from three diameters and two optical distributions, to accommodate any lighting requirement. Trimless installation is fast and a refined finish is designed into the Circle of Light using our proprietary Soft Architecture manufacturing process. Lighting system, seamless ceiling mounted, for 12 individual LED lighting spots. Set of 12 spots, complete with junction box, power supply and cables, has to be ordered separately.



Are you a professional and your project needs consulting and support?



BOOK AN APPOINTMENT

Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location
Light sources included	No
Number of lamps	12
System power (W)	54

Physical

Color	Raw
Field cuttable	No
Orientation	Fixed
Length (in)	23.63
Net weight (lb)	17.42
IP internal	20



Photometric

Extreme cut off

No

Download

Family spec sheetZIP

Mounting instructionsPDF

Photometric Files

LDT / IESZIP

Technical Drawings

2DZIP

3DZIP

Notes

Fixture has a front cover that can be easily removed and reinstalled, making it an access point in the ceiling. Spot modules snap into circle frame with magnets.

Accessories & Power Supply



REQUIRED
Accessory

Electrical

08.8572.14D7U
Circle of Light 12 spots Set,
3000K, 277V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8573.14D7U
Circle of Light 12 spots Set,
3000K, 277V, General Lighting



REQUIRED
Accessory

Electrical

08.8573.14DUL
Circle of Light 12 spots Set,
3000K, 120V, General Lighting



REQUIRED
Accessory

Electrical

08.8662.14DUL
Circle of Light 12 spots Set,
2700K, 120V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8663.14DUL
Circle of Light 12 spots Set,
2700K, 120V, General Lighting



REQUIRED
Accessory

Electrical

08.8572.14DUL
Circle of Light 12 spots Set,
3000K, 120V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8662.14D7U
Circle of Light 12 spots Set,
2700K, 277V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8663.14D7U
Circle of Light 12 spots Set,
2700K, 277V, General Lighting

Circle of Light 24" Soft Piece

Designed by FLOS Architectural

Providing stunning illumination, the Circle of Light employs conical snoots with a reverse bevel edge so that glare is completely eliminated. Choose from three diameters and two optical distributions, to accommodate any lighting requirement. Trimless installation is fast and a refined finish is designed into the Circle of Light using our proprietary Soft Architecture manufacturing process. Lighting system, seamless ceiling mounted, for 24 individual LED lighting spots. Set of 24 spots, complete with junction box, power supply and cables, has to be ordered separately.



Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location
Light sources included	No
Number of lamps	24
System power (W)	108

Physical

Color	Raw
Field cuttable	No
Orientation	Fixed
Length (in)	23.63
Net weight (lb)	35.95
IP internal	20



CE

RG
IEC 62471

UL

ETL

UK
CA

IP
20

Photometric

Extreme cut off No

Download

Family spec sheet

↓ ZIP

Mounting instructions

↓ PDF

Photometric Files

LDT / IES

↓ ZIP

Technical Drawings

2D

↓ ZIP

3D

↓ ZIP

Notes

Fixture has a front cover that can be easily removed and reinstalled, making it an access point in the ceiling. Spot modules snap into circle frame with magnets.

Accessories & Power Supply



REQUIRED
Accessory

Electrical

08.8572.14D7U
Circle of Light 12 spots Set,
3000K, 277V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8573.14D7U
Circle of Light 12 spots Set,
3000K, 277V, General Lighting



REQUIRED
Accessory

Electrical

08.8573.14DUL
Circle of Light 12 spots Set,
3000K, 120V, General Lighting



REQUIRED
Accessory

Electrical

08.8662.14DUL
Circle of Light 12 spots Set,
2700K, 120V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8663.14DUL
Circle of Light 12 spots Set,
2700K, 120V, General Lighting



REQUIRED
Accessory

Electrical

08.8572.14DUL
Circle of Light 12 spots Set,
3000K, 120V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8662.14D7U
Circle of Light 12 spots Set,
2700K, 277V, Accent Lighting



REQUIRED
Accessory


Electrical

08.8663.14D7U
Circle of Light 12 spots Set,
2700K, 277V, General Lighting

Circle of Light 36" Soft Piece

Designed by FLOS Architectural

Providing stunning illumination, the Circle of Light employs conical snoots with a reverse bevel edge so that glare is completely eliminated. Choose from three diameters and two optical distributions, to accommodate any lighting requirement. Trimless installation is fast and a refined finish is designed into the Circle of Light using our proprietary Soft Architecture manufacturing process. Lighting system, seamless ceiling mounted, for 36 individual LED lighting spots. Set of 36 spots, complete with junction box, power supply and cables, has to be ordered separately.



Are you a professional and your project needs consulting and support?



BOOK AN APPOINTMENT

Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location
Light sources included	No
Number of lamps	36
System power (W)	162

Physical

Color	Raw
Field cuttable	No
Orientation	Fixed
Length (in)	23.63
Net weight (lb)	63.51
IP internal	20



Photometric

Extreme cut off

No

Download

Family spec sheet

ZIP

Mounting instructions

PDF

Photometric Files

LDT / IES

ZIP

Technical Drawings

2D

ZIP

3D

ZIP

Notes

Fixture has a front cover that can be easily removed and reinstalled, making it an access point in the ceiling. Spot modules snap into circle frame with magnets.

Accessories & Power Supply



REQUIRED
Accessory

Electrical

08.8572.14D7U
Circle of Light 12 spots Set,
3000K, 277V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8573.14D7U
Circle of Light 12 spots Set,
3000K, 277V, General Lighting



REQUIRED
Accessory

Electrical

08.8573.14DUL
Circle of Light 12 spots Set,
3000K, 120V, General Lighting



REQUIRED
Accessory

Electrical

08.8662.14DUL
Circle of Light 12 spots Set,
2700K, 120V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8663.14DUL
Circle of Light 12 spots Set,
2700K, 120V, General Lighting



REQUIRED
Accessory

Electrical

08.8572.14DUL
Circle of Light 12 spots Set,
3000K, 120V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8662.14D7U
Circle of Light 12 spots Set,
2700K, 277V, Accent Lighting



REQUIRED
Accessory

Electrical

08.8663.14D7U
Circle of Light 12 spots Set,
2700K, 277V, General Lighting