



Gruuve

Patricia Urquiola, 2024

The spirit of the 1970s, the cultural revolution that in that era translated into furniture with a more informal approach, inspired Gruuve, a system that captures the nonconformist soul of the era and gives it the form of a free composition sofa.



The fluid lines of the collection's modules are designed to convey a sense of dynamism to the home and provide definite compositional flexibility.



TECHNICAL INFORMATION

Structure	Polimex [®] base with flexible polyurethane foam structure in differentiated densities. Polyester lining.
Seat height	Front seat: 16". Back seat: 21¾".
Upholstery	The Gruuve collection covers are removable. For the recommended fabrics see the table on pages 7-9.
Polimex [®]	It is a composite material for supporting structures of upholstered furniture consisting mainly of expanded polystyrene and, in smaller percentages, structural polyurethanes that provide structural resistance. It is lighter than similar products made with traditional systems and requires less padding or foaming to make the finished product, with lower material consumption. It is certified in class 1-IM.
Modularity	The elements, with the exception of the armchair and chaise longue, can be combined. For composition suggestions, see pages 5-6.

- A** Flexible polyurethane with differentiated densities
- B** Polimex[®] base




The back of the sofa can be used as a comfortable bench to sit on

Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.


GR10EG

95½" open corner sofa




GR10EH

119½" open corner sofa




GR10EI

94½" closed corner sofa




GR10EJ

123" closed corner sofa




GR10EK

71" linear element




GR10EL

Large convex angle




GR10EM

Small convex angle




GR1001

Armchair



GR1036

Chaise longue




Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.

CONFIGURATION EXAMPLES

MOROSO


0EG + 0EI + 0EI

(L) 195" × (D) 110" (O) 110"




0EG + 0EG + 0EI

(L) 230½" × (D) 90½" (O) 149½"




0EG + 0EG + 0EI + 0EI

(L) 232½" × (D) 149½" (O) 134"




0EH + 0EI + 0EI

(L) 204½" × (D) 122" (O) 114"




0EH + 0EJ + 0EI

(L) 204½" × (D) 141½" (O) 106½"




0EH + 0EJ + 0EJ

(L) 201" × (D) 159½" (O) 94½"




0EI + 0EI + 0EI

(L) 175" × (D) 104½" (O) 86½"




0EI + 0EI + 0EI + 0EI

(L) 175" × (D) 147½" (O) 63"




0EI + 0EJ + 0EI

(L) 177" × (D) 120" (O) 82½"




0EJ + 0EJ

(L) 177" × (D) 88½" (O) 88½"




0EJ + 0EJ + 0EJ

(L) 177" × (D) 149½" (O) 63"



0EI + 0EJ + 0EJ + 0EI

(L) 177" × (D) 169½" (O) 35½"




(L) = lenght, (D) = depth
(O) = opening

Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.


OEM + OEM + OEL + OEM + OEM

(L) 177" × (D) 135³/₄" (O) 72¹/₂"




OEL + OEL + OEL

(L) 175¹/₄" × (D) 102¹/₂" (O) 86¹/₂"




OEI + OEK + OEI

(L) 230¹/₂" × (D) 71"




OEM + OEH

(L) 171¹/₄" × (D) 55"




OEM + OEI + OEH

(L) 214¹/₂" × (D) 96¹/₂"



OEL + OEL + OEI + OEI


(L) 265³/₄" × (D) 96¹/₂"



OEH + OEJ + OEK + OEL

+ OEM + OEM + OEG


(L) 248" × (D) 368"



OEH + OEK + OEL + OEL

+ OEL + OEH + OEM

(L) 267³/₄" × (D) 220¹/₂"




(L) = lenght, (D) = depth
(O) = opening

Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.

USAGE CATEGORIES

S Soft Use Cosy and natural, with limited wear resistance	M Medium Use Robust and durable, easy to maintain	H Heavy Use High technical values, very robust and durable
ARMONICA plush DRIPPING chenille FURY chenille GORKY bouclé SAMOIEDO chenille TRONO bouclé YETI chenille	ARDA knit fabric GORGONE bouclé LHATI chenille ORSETTO bouclé ZAMPOGNA bouclé	REGOS knit fabric

BOUCLÉS

**S** **GORKY**

Typology: bouclé
Composition: 37% acrylic, 23% cotton, 17% wool, 12% alpaca wool, 11% polyester
Height: approx. 140 cm
Weight: 625 g/sqm
Abrasion resistance: 15.000 cycles
Pilling resistance: 3

CAT. S
Tirella: LOVEWOOLS 151

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**M** **ORSETTO**

Typology: bouclé
Composition: 34% viscose, 33% acrylic, 17% new wool, 8% polyester, 4% linen, 4% cotton
Height: approx. 140 cm
Weight: 940 g/sqm
Abrasion resistance: 50.000 cycles
Rubbing fastness: 5 (dry), 4 (wet)
Colour fastness to artificial light: 5
Pilling resistance: 4

CAT. S
Tirella: TOPPINGS 154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S** **TRONO***

Typology: bouclé
Composition: 37% viscose, 20% acrylic, 20% new wool, 15% polyester, 5% linen, 3% elasthan
Height: approx. 140 cm
Weight: 750 g/sqm
Abrasion resistance: 25.000 cycles
Abrasion resistance: 4-5 (dry), 4 (wet)
Colour fastness to artificial light: 5
Pilling resistance: 4


CAT. W
Tirella: FOREST WANDERING 147 + 148 + 149 + 150

* In the same hanger it is possible to use also the Zampogna fabrics.

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

CHENILLES

**S DRIPPING**

Typology: chenille with 3D printing
Composition: 40% cotton, 20% acrylic, 16% linen, 12% viscose, 8% wool, 4% polyester
Height: approx. 120 cm
Weight: 480 g/sqm
Abrasion resistance: 14.000 cycles

CAT. Y
Tirella: TOPPINGS 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S FURY****

Typology: chenille
Composition: 51% viscose, 40% cotton, 8% linen
Height: approx. 140 cm
Weight: 550 g/sqm
Abrasion resistance: 30.000 cycles
Rubbing fastness: 4-5(dry), 4 (wet)
Colour fastness to artificial light: 6
Pilling resistance: 4-5

CAT. W
Tirella: TOPPINGS 154

** In the same hanger it is possible to use also the Lhati fabrics.

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S SAMOIEDO**

Typology: chenille
Composition: 51% viscose, 26% cotton, 23% linen
Height: approx. 140 cm
Weight: 990 g/sqm
Abrasion resistance: 25.000 cycles

CAT. W
Tirella: VELVETS AND FURS 153

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S YETI**


Typology: chenille
Composition: 44% viscose, 32% cotton, 19% linen, 5% polyester
Height: approx. 140 cm
Weight: 772 g/sqm
Abrasion resistance: 30.000 cycles
Rubbing fastness: 5 (dry)
Colour fastness to artificial light: 4
Pilling resistance: 3-4

CAT. S
Tirella: VELVETS AND FURS 153

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

KNITTED FABRICS

**M****ARDA**

Typology: jacquard elastic knit
Composition: 70% new wool, 21% polyester, 9% nylon
Height: approx. 140 cm
Weight: 560 g/sqm
Abrasion resistance: 50.000 cycles
Rubbing fastness: 4-5 (dry), 4 (wet)
Colour fastness to artificial light: 5-6
Pilling resistance: 4-5

CAT. **Z**Tirella: **FOREST WANDERING**
147 + 148 + 149 + 150

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**H****REGOS**

Typology: jacquard elastic knit
Composition: 37% recycled polyester, 23% wool, 17% recycled polyester (textile waste), 10% other fibers (textile waste), 8% nylon, 5% recycled wool (textile waste)
Height: approx. 150 cm
Weight: 1140 g/mq
Abrasion resistance: 100.000 cycles
Colour fastness to artificial light: 6
Pilling resistance: 4-5

CAT. **Y**Tirella: **ELASTIC_2**
157

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

PLUSH

**S****ARMONICA**

Typology: plush
Composition: 45% acrylic, 31% polyester, 20% wool, 4% elastane
Height: approx. 145 cm
Weight: 790 g/mq

CAT. **W**Tirella: **SARTORIAL**
163

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

Moroso Spa
via Nazionale 60
33010 Cavallico, UD, Italy
T +39 0432 577 111
info@moroso.it