



TENDER


Patricia Urquiola, 2025

The Tender bed extends the family of sofas designed in 2014 to the bedroom. Its construction is technical, defined by the juxtaposition of three elements: the lightness of the frame, the naturalness of the wood and the graceful abundance of the headboard cushions.

The result surprises and deceives the senses. The legs, seemingly unrelated to the frame, are pillars that support, creating a floating effect that almost defies gravity.

TECHNICAL INFORMATION

BED HEADBOARD	Cushions in moulded soft polyurethane foam and polyester fiber, with internal structural steel insert.
BED FRAME	Made with an extruded aluminium profile. The bed does not use a slatted base but features an upholstered wooden platform panel.
BED FEET	Powder-coated cast aluminium structure with a milled and varnished solid ash wood cover. See the table on page 7. The headboard legs include an aluminium extension and matching ash cover to provide two different height settings, accommodating a wide range of mattress thicknesses.
BENCH FEET	Varnished solid ash wood. See the table on page 7.
BENCH SEAT	Steel load-bearing frame and wooden seat frame with shaped soft polyurethane foam.
UPHOLSTERY	The Tender collection features removable covers. For recommended fabrics see the table on pages 4-6.




Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.

TECHNICAL INFORMATION


LD0175

Bed 160




LD0177

Bed 180




LD01BQ

Queen Size Bed




LD01BK

King Size Bed



LD006N

Bench



Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.

USAGE CATEGORIES

S Soft Use
cosy and natural, with limited wear resistance

DASDIA bouclé
DRIPPING chenille
TRONO bouclé

M Medium Use
robust and durable, easy to maintain

ARDA elastic knit fabric
FUZZY bouclé
LHATI chenille
ORSETTO bouclé
REGOS elastic knit fabric

H Heavy Use
high technical values, very robust and durable

CAMY chenille
ZANZIBAR velvet

BOUCLÉ

**S DASDIA**

Typology: bouclé
Composition: 45% cotton, 16% viscose, 14% wool, 13% acrylic, 10% linen, 2% polyamide
Height: appr. 140 cm
Abrasion resistance: 35.000 cycles

Hanger:: **Toppings**
154 + 155

CAT. **S**

*Check with your Moroso representative to evaluate modifications, additions and available colours.
The use of customer own fabric is possible previous technical verification by the company.*


**M ORSETTO**

Typology: bouclé
Composition: 34% viscose, 33% acrylic, 17% new wool, 8% polyester, 4% linen, 4% cotton
Height: approx. 140 cm
Weight: 940 g/sqm
Abrasion resistance: 50.000 cycles
Rubbing fastness: 5 (dry) 4 (wet)
Colour fastness to artificial light: 5
Pilling resistance: 4

Hanger: **Toppings**
154 + 155

CAT. **S**

*Check with your Moroso representative to evaluate modifications, additions and available colours.
The use of customer own fabric is possible previous technical verification by the company.*

**M FUZZY**

Typology: bouclé
Composition: 48% viscose, 36% wool, 13% cotton, 3% polyamide
Height: appr. 140 cm
Weight: 550 g/sqm
Abrasion resistance: 40.000 cycles
Colour fastness to artificial light: 6
Pilling resistance: 4-5




Hanger: **Toppings**
154 + 155

CAT. **W**

*Check with your Moroso representative to evaluate modifications, additions and available colours.
The use of customer own fabric is possible previous technical verification by the company.*

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre.

DISPOSAL: in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

**S TRONO*****Typology:** bouclé**Composition:** 37% viscose, 20% acrylic, 20% new wool, 15% polyester, 5% linen, 3% elastan**Height:** approx. 140 cm**Weight:** 750 g/sqm**Abrasion resistance:** 25.000 cycles**Rubbing fastness:** 4-5 (dry) 4 (wet)**Colour fastness to artificial light:** 5**Pilling resistance:** 4Hanger: **Forest Wandering** CAT. **W**
147 + 148 + 149 + 150*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.***In the same hanger it is possible to use also the Zampogna fabrics (Usage Category M).***CHENILLES****S DRIPPING****Typology:** chenille with 3D printing**Composition:** 40% cotton, 20% acrylic, 16% linen, 12% viscose, 8% wool, 4% polyester**Height:** approx. 120 cm**Weight:** 480 g/sqm**Abrasion resistance:** 14.000 cyclesHanger: **Toppings** CAT. **Y**
155*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.***M LHATI******Typology:** chenille**Composition:** 36% acrylic, 35% polyester, 29% cotton**Height:** approx. 140 cm**Weight:** 800 g/sqm**Abrasion resistance:** 50.000 cycles**Colour fastness to artificial light:** 5/6**Pilling resistance:** 4Hanger: **Toppings + Touch Me** CAT. **W**
154 + 158*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.****In the hanger Toppings 154 it is possible to use also the Fury fabrics.***H CAMY****Typology:** chenille**Composition:** 75% cotton, 30% polyester, 5% polyamide**Height:** approx. 137 cm**Weight:** 712 g/sqm**Abrasion resistance:** 80.000 cycles**Rubbing fastness:** 4-5 (dry)**Colour fastness to artificial light:** 4/5**Pilling resistance:** 4Hanger: **Touch Me** CAT. **W**
158*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.***COVERS:** Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre.**DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

KNITTED FABRICS

**M ARDA****Typology:** jacquard elastic knit**Composition:** 70% new wool,
21% polyester, 9% nylon**Height:** approx. 140 cm**Weight:** 560 g/sqm**Abrasion resistance:** 50.000 cycles**Rubbing fastness:** 4-5 (dry) 4 (wet)**Colour fastness to artificial light:** 5-6**Pilling resistance:** 4-5Hanger: **Forest Wandering** CAT. **Z**
147 + 148 + 149 +150*Check with your Moroso representative to evaluate
modifications, additions and available colours.**The use of customer own fabric is possible previous
technical verification by the company.***M REGOS****Typology:** jacquard elastic knit**Composition:** 24% new wool,
5% wool recycled, 53% polyester recycled,
8% nylon, 10% other fibers**Height:** approx. 145 cm**Weight:** 780 g/mq**Abrasion resistance:** 50.000 cycles**Rubbing fastness:** 4-5 (dry) 4 (wet)**Colour fastness to artificial light:** 6-7**Pilling resistance:** 4-5Hanger: **Elastic_2** CAT. **Z**
157*Check with your Moroso representative to evaluate
modifications, additions and available colours.**The use of customer own fabric is possible previous
technical verification by the company.*

VELVETS

**H ZANZIBAR****Typology:** velvet**Composition:** 100% mohair (base: cotton)**Height:** approx. 140 cm**Weight:** 575 g/sqm**Abrasion resistance:** 80.000 cycles**Rubbing fastness:** 4-5 (dry) 4-5 (wet)**Colour fastness to artificial light:** 5**Pilling resistance:** 4-5Hanger: **Velvets and Furs** CAT. **Z**
152*Check with your Moroso representative to evaluate
modifications, additions and available colours.**The use of customer own fabric is possible previous
technical verification by the company.***COVERS:** Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre.**DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

VARNISHED SOLID ASH FOOT COVERING

VARIANTS



HONEY



NUT BROWN

CAST ALUMINIUM PAINTED FEET



MUD

FINISHES: for any doubts or further information regarding care and cleaning, please contact your Moroso representative.

DISPOSAL: in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.