

Glo-Ball Suspension 1


Designed by Jasper Morrison, 1998



Halogen - 100W

Suspension lamp emitting diffused light. Features a diffuser made of externally acid-etched, hand-blown, flashed opaline glass with a transparent, injection-moulded polycarbonate diffuser support. Rose in 30% fibreglass-reinforced, injection-moulded polyamide with a pressed and galvanised ceiling fitting. Steel suspension cable.

Part of the Glo-Ball series by Jasper Morrison, first designed in 1998 to evoke the quiet radiance of a full moon and the otherworldly magic of the night. With its suspended, spherical form, Glo-Ball Suspension maximises the diffusion of light, casting an even, ambient glow across the room. A sought-after pendant style, the design aligns with Morrison's Super Normal philosophy of creating understated yet refined forms to enhance everyday spaces. Glo-Ball is part of the permanent collection at MoMA.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607010969
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp type	T
Lamp holders	E26
Number of lamps	1
Power (W)	100

Physical

Color	White
Length (in)	12.99
Cord color	Clear
Cord length (in)	106.299
Canopy height (in)	1.417
Net weight (lb)	6.17
Gross weight (lb)	11.13
Package volume (in)	4087.63
IP internal	20

Download

Mounting instructions [Download PDF](#)

Photometric Files

LDT / IES [Download ZIP](#)

Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)



GWT
850°

IP
20

Photometric

Lighting type	Total
Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF34655

15W E26 T38 Led Lamp




NOT INCLUDED

RF35739

14W E26 120V T38 3000K Led
Lamp

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | White Ceiling Rose Assembly | RAU369209 |
| 02. | Glo-Ball Suspension1 white diffuser | F3007061 |
| 03. | GloBall Suspension 1 Electrical Wiring Assembly | FU300661 |
| 04. | Lampholder Assembly | RAU251001 |
| 05. | Kit of 5 or rings | RF05382 |



RAU369209
White Ceiling Rose Assembly



F3007061
Glo-Ball Suspension1 white
diffuser



FU300661
GloBall Suspension 1 Electrical
Wiring Assembly



RAU251001
Lampholder Assembly



RF05382
Kit of 5 or rings

Glo-Ball Suspension 2


Designed by Jasper Morrison, 1998



Incandescent - 150W

Suspension lamp emitting diffused light. Features a diffuser made of externally acid-etched, hand-blown, flashed opaline glass with a transparent, injection-moulded polycarbonate diffuser support. Rose in 30% fibreglass-reinforced, injection-moulded polyamide with a pressed and galvanised ceiling fitting. Steel suspension cable.

Part of the Glo-Ball series by Jasper Morrison, first designed in 1998 to evoke the quiet radiance of a full moon and the otherworldly magic of the night. With its suspended, spherical form, Glo-Ball Suspension maximises the diffusion of light, casting an even, ambient glow across the room. A sought-after pendant style, the design aligns with Morrison's Super Normal philosophy of creating understated yet refined forms to enhance everyday spaces. Glo-Ball is part of the permanent collection at MoMA.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607010976
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Light sources included	No
Lamp category	Incandescent
Lamp type	A
Lamp holders	E26
Number of lamps	1
Power (W)	150

Physical

Color	White
Length (in)	17.72
Cord color	Clear
Cord length (in)	106.299
Canopy height (in)	1.417
Net weight (lb)	8.05
Gross weight (lb)	15.1
Package volume (in)	7947.03
IP internal	20

Download

Mounting instructions [Download PDF](#)

Photometric Files

LDT / IES [Download ZIP](#)

Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)



GWT
850°

IP
20

Photometric

Lighting type	Total
Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF34655

15W E26 T38 Led Lamp




NOT INCLUDED

RF35739

14W E26 120V T38 3000K Led
Lamp

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | White Ceiling Rose Assembly | RAU369209 |
| 02. | Glo-Ball Suspension2 white diffuser | F3015061 |
| 03. | GloBall Suspension 2 Halogen Electrical Wiring Assembly | AU251200 |
| 04. | Lampholder Assembly | RAU251001 |
| 05. | Kit of 5 or rings | RF05382 |
| 06. | Glo-Ball Suspension 2 Ring nut assembly for diffuser | RF09514 |



RAU369209
White Ceiling Rose Assembly



F3015061
Glo-Ball Suspension2 white
diffuser



AU251200
GloBall Suspension 2 Halogen
Electrical Wiring Assembly



RAU251001
Lampholder Assembly



RF05382
Kit of 5 or rings



RF09514
Glo-Ball Suspension 2 Ring nut
assembly for diffuser