

## KTribе Table 1


Designed by Philippe Starck, 2007

Halogen - 100W



Table lamp emitting diffused light. Base, rod support and diffuser support in die-cast polished Zamak alloy with polished aluminium tubular stem. Base cover in injection-moulded PA (nylon). Inner diffuser in opal injection-moulded PC (polycarbonate). Outer diffuser in PMMA (polymethylmethacrylate).

With KTribе, Philippe Starck reinterprets the playful spirit of his earlier Miss K in a more refined, architectural language. Guided by his principle of distilling form and function to their essence, KTribе transforms a familiar archetype into an object of understated glamour. An iconic example of contemporary design, it embodies Starck's instinct for reduction, where lighting is not just illumination but atmosphere, quietly enhancing the environments it inhabits.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607011744       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light Source Type      | Bulb                |
| Light sources included | No                  |
| Lamp category          | Halogen             |
| Lamp type              | T                   |
| Lamp holders           | E26                 |
| Number of lamps        | 1                   |
| Power (W)              | 100                 |

### Physical

|                     |                    |
|---------------------|--------------------|
| Color               | Chrome/Transparent |
| Length (in)         | 12.4               |
| Cord color          | Black              |
| Cord length (in)    | 64.567             |
| Net weight (lb)     | 7.28               |
| Gross weight (lb)   | 11.13              |
| Package volume (in) | 5897.36            |
| IP internal         | 20                 |

### Download

Mounting instructions

 PDF



|    |
|----|
| IP |
| 20 |

|    |
|----|
| IK |
| 00 |


Photometric

|                    |                  |
|--------------------|------------------|
| Lighting type      | Direct, Indirect |
| Light distribution | Symmetric        |
| Extreme cut off    | No               |

Electrical

|                    |                   |
|--------------------|-------------------|
| Insulation class   | II                |
| Frequency (Hz)     | 60                |
| Main voltage (Vac) | 120               |
| Dimmable           | Yes               |
| Dimming interface  | Dimmer Integrated |
| Plug type          | Type A            |
| Batteries inside   | No                |

Bulbs




NOT INCLUDED

RF34656

9W E26 A19 Led Lamp

Spare Parts



- |     |                                                 |          |
|-----|-------------------------------------------------|----------|
| 01. | Ktribe Table 1 transparent<br>diffuser assembly | F6264000 |
| 02. | Black Dimmer Switch                             | RF28206  |




F6264000

Ktribe Table 1 transparent  
diffuser assembly



RF28206

Black Dimmer Switch



FU628100 Chrome/Glass

## KTribе Table 1 Glass


Designed by Philippe Starck, 2007

Halogen - 100W



Table lamp emitting diffused light. Base, rod support and diffuser support in die-cast polished Zamak alloy with polished aluminium tubular stem. Base cover in injection-moulded PA (nylon). Inner diffuser in opal injection-moulded PC (polycarbonate). Outer diffuser in transparent glass.

With KTribе, Philippe Starck reinterprets the playful spirit of his earlier Miss K in a more refined, architectural language. Guided by his principle of distilling form and function to their essence, KTribе transforms a familiar archetype into an object of understated glamour. An iconic example of contemporary design, it embodies Starck's instinct for reduction, where lighting is not just illumination but atmosphere, quietly enhancing the environments it inhabits.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607011768       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light Source Type      | Bulb                |
| Light sources included | No                  |
| Lamp category          | Halogen             |
| Lamp type              | T                   |
| Lamp holders           | E26                 |
| Number of lamps        | 1                   |
| Power (W)              | 100                 |

### Physical

|                     |              |
|---------------------|--------------|
| Color               | Chrome/Glass |
| Length (in)         | 12.4         |
| Cord color          | Black        |
| Cord length (in)    | 64.567       |
| Net weight (lb)     | 10.1         |
| Gross weight (lb)   | 15.21        |
| Package volume (in) | 7706.11      |
| IP internal         | 20           |

### Download

Mounting instructions





|    |
|----|
| IP |
| 20 |

|    |
|----|
| IK |
| 00 |


Photometric

|                    |                  |
|--------------------|------------------|
| Lighting type      | Direct, Indirect |
| Light distribution | Symmetric        |
| Extreme cut off    | No               |

Electrical

|                    |                   |
|--------------------|-------------------|
| Insulation class   | II                |
| Frequency (Hz)     | 60                |
| Main voltage (Vac) | 120               |
| Dimmable           | Yes               |
| Dimming interface  | Dimmer Integrated |
| Plug type          | Type A            |
| Batteries inside   | No                |

Bulbs




NOT INCLUDED

RF34656

9W E26 A19 Led Lamp

Spare Parts



- |     |                                                 |          |
|-----|-------------------------------------------------|----------|
| 01. | Ktribe Table 1 transparent<br>diffuser assembly | F6284000 |
| 02. | Black Dimmer Switch                             | RF28206  |



F6284000

Ktribe Table 1 transparent  
diffuser assembly



RF28206

Black Dimmer Switch


KTribe Table 2

Designed by Philippe Starck, 2007

Halogen - 100W

Table lamp emitting diffused light. Base, rod support and diffuser support in die-cast polished and chrome-plated Zamak alloy with polished aluminium tubular stem. Base cover in injection-moulded PA (nylon). Inner diffuser in opal injection-moulded PC (polycarbonate). Outer diffuser in PMMA (polymethylmethacrylate) with vacuum aluminium-coated inner surface. Upper ring in injection-moulded transparent PC (polycarbonate).

With KTribe, Philippe Starck reinterprets the playful spirit of his earlier Miss K in a more refined, architectural language. Guided by his principle of distilling form and function to their essence, KTribe transforms a familiar archetype into an object of understated glamour. An iconic example of contemporary design, it embodies Starck's instinct for reduction, where lighting is not just illumination but atmosphere, quietly enhancing the environments it inhabits.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

### Download

Mounting instructions



### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607011836       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light Source Type      | Bulb                |
| Light sources included | No                  |
| Lamp category          | Halogen             |
| Lamp type              | T                   |
| Lamp holders           | E26                 |
| Number of lamps        | 1                   |
| Power (W)              | 100                 |

### Physical

|                     |                    |
|---------------------|--------------------|
| Color               | Chrome/Transparent |
| Length (in)         | 15.55              |
| Cord color          | Black              |
| Cord length (in)    | 64.567             |
| Net weight (lb)     | 9.92               |
| Gross weight (lb)   | 18.87              |
| Package volume (in) | 10829.99           |
| IP internal         | 20                 |



|    |
|----|
| IP |
| 20 |

|    |
|----|
| IK |
| 00 |

Photometric

|                    |                  |
|--------------------|------------------|
| Lighting type      | Direct, Indirect |
| Light distribution | Symmetric        |
| Extreme cut off    | No               |

Electrical

|                    |                   |
|--------------------|-------------------|
| Insulation class   | II                |
| Frequency (Hz)     | 60                |
| Main voltage (Vac) | 120               |
| Dimmable           | Yes               |
| Dimming interface  | Dimmer Integrated |
| Plug type          | Type A            |
| Batteries inside   | No                |

Spare Parts


01.

Transparent Diffuser Assembly

F6278000
02.

Black Dimmer Switch

RF28206





F6278000

Transparent Diffuser Assembly



RF28206

Black Dimmer Switch