

My Lines

Designed by Michael Anastassiades, 2023

46W - 2786lm - 2700K - CRI> 90

Suspension lamp emitting diffused light. Composed of two adjustable vertical bars in extruded anodised aluminium with diffuser in platinum optical silicone and integrated LED strip (CRI 90). Brightness adjustable from 10–100%. Canopy with integrated electronics to support PUSH, 1–10 V and DALI dimming systems sold separately.

Designed by Michael Anastassiades, My Lines creates a striking vertical presence through its refined, linear form. Minimal yet expressive, it lends a strong architectural identity to a wide range of interiors. My Lines is also available as part of the My Circuit system, extending its design language into flexible lighting compositions.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607057087
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	46
System flux (lm)	2786

Physical

Color	Matte White
Length (in)	2.48
Cord color	White
Cord length (in)	118.110
Canopy height (in)	2.756
Net weight (lb)	3.97
Gross weight (lb)	7.72
Package height (in)	2.36
Package width (in)	77.17
Package length (in)	4.13
Package volume (in)	753.52
IP internal	20



Download

Mounting instructions [Download PDF](#)


Photometric Files

LDT / IES [Download LDT](#)


Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F





Schematic light drawing



Photometric

Lighting type	Indirect
Light distribution	Asymmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical

Insulation class	III
Main voltage (Vac)	48
Forward voltage (V)	48
Driver	Remote excluded
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Accessories & Power Supply



REQUIRED


FU190709

My Line Rose

Spare Parts

01. My Lines element

RF34981





RF34981

My Lines element