

Wireflow lineal



0320

VIBIA

Design By Arik Levy

Wireflow - designed by Arik Levy. A sculptural luminaire that reinterprets and puts a completely new twist on the classical chandelier. Its elegant structure allows combinations of the enhanced black electrical wires and lacquered metal rods to create large, visually dynamic chandeliers and sculptural luminaires.


Spec sheet




Optional: undefined

Finish	04 Black RAL 9005
LED	2700 K / 3000 K / 3500 K
Control	0-10V / DALI
Electrical connection	Surface
Light source	2 x LED 4.5W 700mA
LED	CRI>90 980.52 lm 108
Driver	Constant Current 700 mA 120~277 V 50/60 Hz
Remarks	Dimmable LED IP20 Multi-volt UL Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 27.56 in x 7.87 in x 2.95 in Gross weight 6.83 lbs Net weight 5.73 lbs Vol. 0.3708 ft3

Lighting effect
Highlight
Lamp used to highlight a specific element.



Photometric Data



All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Wireflow lineal



0325

VIBIA

Design By Arik Levy

Wireflow - designed by Arik Levy. A sculptural luminaire that reinterprets and puts a completely new twist on the classical chandelier. Its elegant structure allows combinations of the enhanced black electrical wires and lacquered metal rods to create large, visually dynamic chandeliers and sculptural luminaires.

Spec sheet




Optional: undefined

Finish	 O4 Black RAL 9005
LED	2700 K / 3000 K / 3500 K
Control	0-10V / DALI
Electrical connection	Surface
Light source	6 x LED 4.5W 700mA
LED	CRI>90 2941.56 lm 108
Driver	Constant Current 700 mA 120~277 V 50/60 Hz  Dimmable  LED  IP20  Multi-volt  UL
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 90.55 in x 7.87 in x 2.95 in Gross weight 20.26 lbs Net weight 18.28 lbs Vol. 1.2184 ft3



Lighting effect

Highlight

Lamp used to highlight a specific element.



Photometric Data



All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Wireflow lineal



0330

VIBIA

Design By Arik Levy

Wireflow - designed by Arik Levy. Linear pendant Its appearance, as a structure of fine cables finished with ten 4.5W LED terminals, is ideal for discretely connecting with classic chandelier models, taking this type of lamp to a new, groundbreaking, and futuristic dimension. Ideal for decorating large spaces, particularly ones with high ceilings, including hotel reception areas, retail spaces.



Spec sheet



Optional: undefined

Finish	04 Black RAL 9005
LED	2700 K / 3000 K / 3500 K
Control	DALI / 0-10V
Electrical connection	Surface
Light source	10 x LED 4.5W 700mA
LED	CRI>90 4902.6 lm 108
Driver	Constant Current 700 mA 120~277 V 50/60 Hz
Remarks	⏻ Dimmable LED IP20 Multi-volt  Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 129.92 in x 7.87 in x 2.95 in Gross weight 30.62 lbs Net weight 27.53 lbs Vol. 1.7481 ft3

Lighting effect
Highlight
Lamp used to highlight a specific element.



All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.
USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Wireflow lineal



0338

VIBIA

Design By Arik Levy

The Wireflow lineal pendant lights have two new patterns. A structure of fine cables are finished with six black lacquered aluminum LED terminals. The appearance is ideal for discretely providing accent illumination above a variety of areas and spaces for a look ranging from eclectic to futuristic.




Spec sheet



Optional: undefined

Finish	04 Black RAL 9005
LED	2700 K / 3000 K / 3500 K
Control	0-10V / DALI
Electrical connection	Surface
Light source	6 x LED 4.5W 700mA
LED	CRI>90 2941.56 lm 109
Driver	Constant Current 700 mA 120~277 V 50/60 Hz
Remarks	Dimmable LED IP20 Multi-volt  Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 90.55 in x 7.87 in x 2.95 in Gross weight 20.26 lbs Net weight 18.28 lbs Vol. 1.2184 ft3

Lighting effect
Highlight
Lamp used to highlight a specific element.



Efficiency	40.10%
Total Flux	1179.6 lm
Maximum Value	138.11 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com