

Duo

4870

VIBIA

Design By Ramos & Bassols

The collection DUO is inspired by sustainability and wellness. This flush-mount surface light is designed for places with a lower ceiling. The inner surface of the shade is lined with oak veneer, enveloped in a matte lacquered outer shell constructed of aluminum. The LED light source provides even illumination with its polycarbonate diffuser. DUO is available in three finishes.

Spec sheet



Finish

58 Cream
RAL 7044

18 Graphite
ADAPTA RF 9913

93 White
RAL 9016

LED

2700 K / 3500 K / Tunable White

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

1 x LED PLATE 26W 500mA

LED

CRI>90 1984 lm 74.9

Driver

Constant Current 500 mA 100~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Title 24 (JA8) compliant

Application

Ceiling


Packaging

1 Box
21.97 in x 21.97 in x 10.04 in
Gross weight 15.42 lbs
Net weight 13.22 lbs
Vol. 2.8005 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

64.48 lm/W

Total Flux

1666.07lm

Maximum Value

673.81 cd

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Duo



4872

Design By Ramos & Bassols

VIBIA

Duo is a ceiling light with surface installation where the natural warm appearance of the oak wood on the inside is combined with the technical refinement of the aluminum metal wrap on the outside.

Spec sheet



Finish

-  58 Cream
RAL 7044
-  18 Graphite
ADAPTA RF 9913
-  93 White
RAL 9016

LED

2700 K / 3500 K / Tunable White

Control

0-10V / DALI-2

Electrical connection Surface

Light source

1 x LED PLATE 55W 700 mA

LED

CRI>90 4163 lm 71.78

Driver

Constant Current 700 mA 100~277 V
50/60 Hz

Dimmable **LED** **IP20** **Multi-volt** 

Remarks

Title 24 (JA8) compliant

Application

Ceiling


Packaging

1 Box
35.28 in x 34.72 in x 9.8 in
Gross weight 41.85 lbs
Net weight 37.44 lbs
Vol. 6.9465 ft³



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency 72.08 lm/W

Total Flux 3299.98 lm

Maximum Value 1222.08 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Duo



4878

VIBIA

Design By Ramos & Bassols

The collection DUO is inspired by sustainability and wellness. This flush-mount surface light is designed for places with a lower ceiling. The inner surface of the shade is lined with oak veneer, enveloped in a matte lacquered outer shell constructed of aluminum. The LED light source provides even illumination with its polycarbonate diffuser. DUO is available in three finishes.

Spec sheet



Finish

-  58 Cream
RAL 7044
-  18 Graphite
ADAPTA RF 9913
-  93 White
RAL 9016

LED

2700 K / 3500 K / Tunable White

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

1 x LED PLATE 26W 500mA

LED

CRI>90 1284 lm 74.9

Driver

Constant Current 500 mA 100~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Title 24 (JA8) compliant

Application

Ceiling


Packaging

1 Box
23.35 in x 30.91 in x 30.91 in
Gross weight 35.24 lbs
Net weight 30.84 lbs
Vol. 12.9041 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

49.81 lm/W

Total Flux

1284.41 lm

Maximum Value

727.04 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Duo



4880

VIBIA

Design By Ramos & Bassols

The collection DUO is inspired by sustainability and wellness. This flush-mount surface light is designed for places with a lower ceiling. The inner surface of the shade is lined with oak veneer, enveloped in a matte lacquered outer shell constructed of aluminum. The LED light source provides even illumination with its polycarbonate diffuser. DUO is available in three finishes.

Spec sheet



Finish

18 Graphite
ADAPTA RF 9913

58 Cream
RAL 7044

93 White
RAL 9016

LED

2700 K / 3500 K / Tunable White

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

1 x LED PLATE 26W 500mA

LED

CRI>90 1984 lm 74.9

Driver

Constant Current 500 mA 100~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Title 24 (JA8) compliant

Application

Ceiling

Packaging

1 Box
23.35 in x 30.91 in x 30.91 in
Gross weight 35.24 lbs
Net weight 30.84 lbs
Vol. 12.9041 ft³



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

51.35 lm/W

Total Flux

1343.81 lm

Maximum Value

801.14 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Duo


4882

VIBIA

Design By Ramos & Bassols

Duo is a surface-mounted ceiling lamp that combines the look of walnut on the inside with the technical finesse of a metal -aluminum- casing on the outside. Due to its large size and the diffuse light it emits, it helps illuminate wide spaces from a single electrical connection point.

Spec sheet



Finish

18 Graphite
ADAPTA RF 9913

93 White
RAL 9016

58 Cream
RAL 7044

LED

2700 K / 3500 K / Tunable White

Control

0-10V / DALI-2

Electrical connection

Surface

Light source

1 x LED PLATE 26W 500mA

LED

CRI>90 1984 lm 74.9

Driver

Constant Current 500 mA 100~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 


Application

Ceiling

Packaging

1 Box
21.97 in x 21.97 in x 10.04 in
Gross weight 15.42 lbs
Net weight 13.22 lbs
Vol. 2.8005 ft3

Lighting effect



Efficiency 64.48 lm/W

Total Flux 1666.07 lm
Maximum Value 673.81 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

Duo



4883

VIBIA

Design By Ramos & Bassols

Duo is a surface-mounted ceiling lamp that combines the look of walnut on the inside with the technical finesse of a metal -aluminum- casing on the outside. Due to its large size and the diffuse light it emits, it helps illuminate wide spaces from a single electrical connection point.

Spec sheet



Finish

- 93 White
RAL 9016
- 18 Graphite
ADAPTA RF 9913
- 58 Cream
RAL 7044

LED

2700 K / 3500 K / Tunable White

Control

0-10V / DALI-2

Electrical connection

Surface

Light source

1 x LED PLATE 46W 500mA

LED

CRI>90 4163 lm 71.78

Driver

Constant Current 700 mA 100~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 


Application

Ceiling

Packaging

1 Box
35.28 in x 34.72 in x 9.8 in
Gross weight 41.85 lbs
Net weight 37.44 lbs
Vol. 6.9465 ft3

Lighting effect



Efficiency 72.08 lm/W

Total Flux 3299.98 lm
Maximum Value 1222.08 cd

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Duo




4886

VIBIA

Design By Ramos & Bassols

Duo is a surface-mounted ceiling lamp that combines the look of walnut on the inside with the technical finesse of a metal -aluminum- casing on the outside. Due to its large size and the diffuse light it emits, it helps illuminate wide spaces from a single electrical connection point.

Spec sheet



Finish

- 93 White
RAL 9016
- 18 Graphite
ADAPTA RF 9913
- 58 Cream
RAL 7044

LED

2700 K / 3500 K / Tunable White

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

1 x LED PLATE 26W 500mA

LED

CRI>90 1284 lm 74.9

Driver

Constant Current 500 mA 120~277 V
50/60 Hz

LED IP20 Multi-volt Dry Location


Application

Ceiling

Packaging

1 Box
23.35 in x 30.91 in x 30.91 in
Gross weight 35.24 lbs
Net weight 30.84 lbs
Vol. 12.9041 ft³

Lighting effect



Efficiency 46.781 lm/W

Total Flux 1284.41 lm
Maximum Value 727.04 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

Duo



4887

VIBIA

Design By Ramos & Bassols

Duo is a surface-mounted ceiling lamp that combines the look of walnut on the inside with the technical finesse of a metal -aluminum- casing on the outside. Due to its large size and the diffuse light it emits, it helps illuminate wide spaces from a single electrical connection point.

Spec sheet



Finish

- 58 Cream
RAL 7044
- 18 Graphite
ADAPTA RF 9913
- 93 White
RAL 9016

LED

2700 K / 3500 K / Tunable White

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

1 x LED PLATE 26W 500mA

LED

CRI>90 1984 lm 74.9

Driver

Constant Current 500 mA 100~127 V
50/60 Hz

Dimmable LED IP20 Multi-volt 


Application

Ceiling

Packaging

1 Box
23.35 in x 30.91 in x 30.91 in
Gross weight 35.24 lbs
Net weight 30.84 lbs
Vol. 12.9041 ft3

Lighting effect



Efficiency 51.35 lm/W

Total Flux 1343.8 lm
Maximum Value 801.14 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)