



TULP

Stefan Scholten, 2024

An upholstered chair with an open and comfortable shape, Tulp is a witty reference to the image of a tulip, a flower typical of the Dutch landscape.

Available in three versions, with wooden legs, swivelling with a wooden base or with a tubular metal frame, Tulp is built with a production process that allows it to be disassembled at the end of its life cycle.

The rigid polyurethane shell is co-moulded with a flexible polyurethane foam padding: the absence of metal parts makes it possible to separate the components for recovery and recycling.



TULP

Stefan Scholten, 2024

TECHNICAL INFORMATION

STRUCTURE

Structural rigid polyurethane shell moulded with flexible polyurethane foam.

SEAT HEIGHT




Without applied load: 46 cm.

BASE

Available with varnished ash wood legs, varnished ash wood swivel base and tubular steel frame. See the table on page 7.


UPHOLSTERY

The Tulp collection covers are Not removable.
For recommended fabrics see the table on page 4-6




TU102A

Chair with legs in varnished ash wood




TU102B

Chair with swivel base in varnished ash wood



TU10ST

Chair with painted tubular steel frame



Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.

USAGE CATEGORIES

S Soft Use

Cosy and natural,
with limited wear resistance.

GORKY bouclé

TRONO bouclé

M Medium Use

Robust and durable,
easy to maintain.

ARDA knit fabric

BOUCLÉ bouclé

FUZZY bouclé

ORSETTO bouclé

ZAMPOGNA bouclé

H Heavy Use

High technical values,
very robust and durable.

CALEIDO woven fabric

CLEO woven fabric

ZANZIBAR velvet

BOUCLÉS

**M** BOUCLÉ

Typology: bouclé

Composition: 47% polyester, 44% cotton,
1% elastomer, 8% other fibers

Height: approx. 140 cm

Weight: 570 g/sqm

Abrasion resistance: 50.000 cycles

Pilling resistance: 3

Hanger: **Forest Wandering**
147 + 148 + 149 + 150

CAT. **Q**

*Check with your Moroso representative to evaluate
modifications, additions and available colours.*

*The use of customer own fabric is possible previous
technical verification by the company.*

**S** GORKY

Typology: bouclé

Composition: 37% acrylic, 23% cotton,
17% wool, 12% alpaca wool, 11% polyester

Height: approx. 140 cm

Weight: 625 g/sqm

Abrasion resistance: 15.000 cycles

Pilling resistance: 3

Hanger: **Lovewools**
151

CAT. **S**

*Check with your Moroso representative to evaluate
modifications, additions and available colours.*

*The use of customer own fabric is possible previous
technical verification by the company.*

**M** ORSETTO

Typology: bouclé

Composition: 34% viscose, 33% acrylic,
17% new wool, 8% polyester, 4% linen,
4% cotton

Height: approx. 140 cm

Weight: 940 g/sqm

Abrasion resistance: 50.000 cycles

Rubbing fastness: 5 (dry) 4 (wet)

Colour fastness to artificial light: 5

Pilling resistance: 4

Hanger: **Toppings**
154 + 155


CAT. **S**

*Check with your Moroso representative to evaluate
modifications, additions and available colours.*


*The use of customer own fabric is possible previous
technical verification by the company.*

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre.


DISPOSAL: in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

**S TRONO*****Typology:** bouclé**Composition:** 37% viscose, 20% acrylic, 20% new wool, 15% polyester, 5% linen, 3% elastan**Height:** approx. 140 cm**Weight:** 750 g/sqm**Abrasion resistance:** 25.000 cycles**Rubbing fastness:** 4-5 (dry) 4 (wet)**Colour fastness to artificial light:** 5**Pilling resistance:** 4Hanger: **Forest Wandering** CAT. **W**
147 + 148 + 149 +150*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.**.....*
In the same hanger it is possible to use also the Zampogna fabrics.*M FUZZY****Typology:** bouclé**Composition:** 48% viscose, 36% wool, 13% cotton, 3% polyamide**Height:** appr. 140 cm**Weight:** 550 g/sqm**Abrasion resistance:** 40.000 cycles**Colour fastness to artificial light:** 6**Pilling resistance:** 4-5Hanger: **Toppings** CAT. **W**
154 + 155*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.*

WOVEN FABRICS

**H CALEIDO****Typology:** woven fabric**Composition:** 63% cotton, 29% polyester, 8% other fibers**Height:** approx. 140 cm**Weight:** 820 g/sqm**Abrasion resistance:** 70.000 cycles**Rubbing fastness:** 5 (dry)**Pilling resistance:** 4Hanger: **Forest Wandering** CAT. **Q**
147 + 148 + 149 +150*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.***H CLEO****Typology:** woven fabric**Composition:** 95% new wool, 5% polyamide**Height:** approx. 140 cm**Weight:** 690 g/sqm**Abrasion resistance:** 70.000 cycles**Rubbing fastness:** 4-5 (dry) 4 (wet)**Colour fastness to artificial light:** 5**Pilling resistance:** 4-5Hanger: **Forest Wandering** CAT. **W**
147 + 148 + 149 +150*Check with your Moroso representative to evaluate modifications, additions and available colours.**The use of customer own fabric is possible previous technical verification by the company.***COVERS:** Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre.**DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

KNITTED FABRICS



M ARDA

Typology: elastic knit

Composition: 70% new wool, 21% polyester, 9% nylon

Height: approx. 140 cm

Weight: 560 g/sqm

Abrasion resistance: 50.000 cycles

Rubbing fastness: 4-5 (dry) 4 (wet)

Colour fastness to artificial light: 5-6

Pilling resistance: 4-5

Hanger: **Forest Wandering** CAT. **Z**
147 + 148 + 149 +150

Check with your Moroso representative to evaluate modifications, additions and available colours.

The use of customer own fabric is possible previous technical verification by the company.

VELVETS



H ZANZIBAR

Typology: velvet

Composition: 100% mohair (base: cotton)

Height: approx. 140 cm

Weight: 575 g/sqm

Abrasion resistance: 80.000 cycles

Rubbing fastness: 4-5 (dry) 4-5 (wet)

Colour fastness to artificial light: 5

Pilling resistance: 4-5

Hanger: **Velvets and Furs** CAT. **Z**
152

Check with your Moroso representative to evaluate modifications, additions and available colours.

The use of customer own fabric is possible previous technical verification by the company.

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre.

DISPOSAL: in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

VARNISHED ASH BASE

VARIANTS



NATURAL



HONEY



NUT BROWN

VARNISHED TUBULAR STEEL BASE


VARIANTI



OXIDO RED




METAL NICHEL



METAL BLACK



METAL COPPER



METAL BRONZE

FINISHES: for any doubts or further information regarding care and cleaning, please contact your Moroso representative.

DISPOSAL: in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.



Moroso Spa
via Nazionale 60
33010 Cavallico,
UD - Italy
T +39 0432 577 111
info@moroso.it
moroso.it

PRODUCT SHEET — MARCH 2025