


HUGO FLOOR

- Light Source: 40W - 100~240 Vac/24 Vdc - 3.510 Lumen
- 3.000 Kelvin - CRI >90, Integrated LED
- Dimmable: with integrated dimmer
- Materials: Lentiflex®
- With: Soft touch dimming system
- Weight: net 13,67 lbs - gross 18,74 lbs
- Packaging: 44,88 x 6,3 x h. 6,3 in
44,88 x 6,3 x h. 6,3 in
18,504 x 18,504 x h. 2,756 in



FINISH	PRODUCT CODE	DETAILS
 PRISMA	HUGFM00PRS000000000US	Soft Touch dimming system 

HUGO SUSPENSION

DESIGN BY SLAMP CREATIVE DEPARTMENT

HUGO SUSPENSION / HUGO VERTICAL


Light Source: 20W - 90~130 Vac/24 Vdc - 1.755 Lumen - 3.000 Kelvin - CRI >90, Integrated LED

Dimmable: Triac Trailing Edge

Materials: Lentiflex®

Weight: net 2,98 lbs - gross 4,85 lbs

Packaging: 44,88 x 6,3 x h. 6,3 in



FINISH	PRODUCT CODE	CANOPY DETAILS
 PRISMA	HUGS000PRS01THR000US	Ø 5,51 x h. 1,77 in 
	HUGS000PRS01TVT000US VERTICAL	
	ACCESSORIES PRICES VALID ONLY WHEN ORDERED WITH THE PRODUCT.	
	6M CABLE KIT	
	DALI	
	CASAMBI	

HUGO ARCHITECTURAL 2


Light Source: 40W - 90~130 Vac/24 Vdc - 3.510
Lumen - 3.000 Kelvin - CRI >90,
Integrated LED

Dimmable: Triac Trailing Edge

Materials: Lentiflex®

Weight: net 7,72 lbs - gross 11,02 lbs

Packaging: 44,88 x 6,3 x h. 6,3 in
44,88 x 6,3 x h. 6,3 in
16,929 x 10,236 x h. 2,756 in



HUGO ARCHITECTURAL 3



Light Source: 60W - 90~130 Vac/24 Vdc - 5.265
Lumen - 3.000 Kelvin - CRI >90,
Integrated LED

Dimmable: Triac Trailing Edge

Materials: Lentiflex®

Weight: net 10,7 lbs - gross 15,43 lbs

Packaging: 44,88 x 6,3 x h. 6,3 in
44,88 x 6,3 x h. 6,3 in X2
16,929 x 10,236 x h. 2,756 in



FINISH	PRODUCT CODE		DETAILS
 			