


Wall lamp. Shades with an architectonic profile recreate different ambiances bringing them right up- to-date with new additions and uses. The classic bistrot globe has evolved with an oval organic shape with phased lighting that crosses the spectrum, from transparency to translucence.

Spec sheet



- Finish**
- 37 Terra Red
NCS S 4040-Y70R
 - 62 Green
NCS S 3010-G20Y
 - 18 Graphite
ADAPTA RF 9913

LED 2700 K

Control TRIAC / DALI-2 / 0-10V

Electrical connection Recessed

Light source 1 x LED 4W 350mA

LED CRI>90 440.81 lm 110

Driver Constant Current 350 mA 120~277 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks Recessed


Application Wall

Packaging 3 Box
33.78 in x 46.46 in x 2.83 in
Gross weight 14.76 lbs
Net weight 9.47 lbs
Vol. 3.3125 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency 100%

Total Flux 301.62 lm

Maximum Value 235.37 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Tempo


5759

Design By Lievore Altherr

VIBIA

Wall lamp. Shades with an architectonic profile recreate different ambiances bringing them right up- to-date with new additions and uses. The diffuser with reflector plate converts the bulb into a small brilliant bubble that radiates light.

Spec sheet



Finish

37 Terra Red
NCS S 4040-Y70R

18 Graphite
ADAPTA RF 9913

62 Green
NCS S 3010-G20Y

LED

2700 K

Control

DALI-2 / 0-10V / TRIAC

Electrical connection Recessed

Light source

1 x LED 4W 350mA

LED

CRI>90 440.81 lm 110

Driver

Constant Current 350 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Recessed

Application

Wall


Packaging

3 Box
33.78 in x 46.46 in x 2.83 in
Gross weight 13.44 lbs
Net weight 8.15 lbs
Vol. 3.2878 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

292.12 lm

Maximum Value

263.81 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Tempo



5761

Design By Lievore Altherr

VIBIA

Wall lamp. Shades with an architectonic profile recreate different ambiances bringing them right up- to-date with new additions and uses. The opaline diamond shade illuminates with a diffused light of superior quality.

Spec sheet



Finish

37 Terra Red
NCS S 4040-Y70R

62 Green
NCS S 3010-G20Y

18 Graphite
ADAPTA RF 9913

LED

2700 K

Control

0-10V / DALI-2 / TRIAC

Electrical connection Recessed

Light source

1 x LED 4W 350mA

LED

CRI>90 440.81 lm 110

Driver

Constant Current 350 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Recessed

Application

Wall


Packaging

3 Box
33.78 in x 46.46 in x 2.83 in
Gross weight 13.44 lbs
Net weight 8.15 lbs
Vol. 3.2878 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

302.04 lm

Maximum Value

203.44 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Tempo


5763

VIBIA

Design By Lievore Altherr

Wall lamp composed of a stylized profile attached to the wall and topped by a blown glass diffuser that gives the piece a delicate image. Connection without a plug. LED light source.

Spec sheet



Finish

- 18 Graphite
ADAPTA RF 9913
- 37 Terra Red
NCS S 4040-Y70R
- 62 Green
NCS S 3010-G20Y

LED

2700 K

Control

DALI-2 / TRIAC / 0-10V

Electrical connection Recessed

Light source

1 x LED 4W 350mA

LED

CRI>90 440.81 lm 110

Driver

Constant Current 350 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Recessed

Application

Wall


Packaging

3 Box
15.12 in x 57.28 in x 2.83 in
Gross weight 12.56 lbs
Net weight 7.93 lbs
Vol. 2.1613 ft³



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

301.62 lm

Maximum Value

235.37 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Tempo

5765

VIBIA

Design By Lievore Altherr

Wall lamp composed of a stylized profile attached to the wall and topped by a blown glass diffuser that gives the piece a delicate image. Connection without a plug. LED light source.

Spec sheet



Finish

- 37 Terra Red
NCS S 4040-Y70R
- 62 Green
NCS S 3010-G20Y
- 18 Graphite
ADAPTA RF 9913

LED

2700 K

Control

TRIAC / 0-10V / DALI-2

Electrical connection Recessed

Light source

1 x LED 4W 350mA

LED

CRI>90 440.81 lm 110

Driver

Constant Current 350 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Recessed

Application

Wall


Packaging

3 Box
15.12 in x 57.28 in x 2.83 in
Gross weight 11.23 lbs
Net weight 6.61 lbs
Vol. 2.1366 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

292.12 lm

Maximum Value

263.81 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Wall lamp composed of a stylized profile attached to the wall and topped by a blown glass diffuser that gives the piece a delicate image. Connection without a plug. LED light source.

Spec sheet



Finish

- 18 Graphite
ADAPTA RF 9913
- 62 Green
NCS S 3010-G20Y
- 37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

TRIAC / 0-10V / DALI-2

Electrical connection Recessed

Light source

1 x LED 4W 350mA

LED

CRI>90 440.81 lm 110

Driver

Constant Current 350 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Recessed

Application

Wall


Packaging

3 Box
15.12 in x 57.28 in x 2.83 in
Gross weight 11.23 lbs
Net weight 6.61 lbs
Vol. 2.1366 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux


302.04 lm

Maximum Value

203.44 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com


Spec sheet



Optional: undefined

Finish	37 Terra Red NCS S 4040-Y70R
	18 Graphite ADAPTA RF 9913
	62 Green NCS S 3010-G20Y
LED	2700 K
Control	TRIAC / DALI-2 / NO DRIVER / 0-10V
Electrical connection	Surface / Built-in M / Remote XXS / Remote Micro / Surface Free Wire
Light source	1 x LED 4W 350mA
LED	CRI>90 440.81 lm 110
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
Application	Pendant
Packaging	1 Box 12.6 in x 11.42 in x 6.65 in Gross weight 5.51 lbs Net weight 4.41 lbs Vol. 0.5509 ft3

Lighting effect
General lighting
Lamp for general lighting that equally distributes the light in all directions.




Efficiency	100%
Total Flux	301.62 lm
Maximum Value	235.37 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.



Spec sheet



Optional: undefined

Finish	 18 Graphite ADAPTA RF 9913
	 37 Terra Red NCS S 4040-Y70R
	 62 Green NCS S 3010-G20Y
LED	2700 K
Control	DALI-2 / NO DRIVER / TRIAC / 0-10V
Electrical connection	Surface / Surface Free Wire / Remote Micro / Built-in M / Remote XXS
Light source	1 x LED 4W 350mA
LED	CRI>90 440.81 lm 110
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
Application	Pendant
Packaging	1 Box 10.51 in x 10.94 in x 7.95 in Gross weight 3.96 lbs Net weight 2.64 lbs Vol. 0.5262 ft3

Lighting effect
General lighting
Lamp for general lighting that equally distributes the light in all directions.



Efficiency	100%
Total Flux	292.12 lm
Maximum Value	263.81 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Tempo

5774

VIBIA

Design By Lievore Altherr

Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Spec sheet



Optional: undefined

Finish

- 18 Graphite
ADAPTA RF 9913
- 62 Green
NCS S 3010-G20Y
- 37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

DALI-2 / TRIAC / NO DRIVER / 0-10V

Electrical connection Surface / Remote Micro / Built-in M / Remote XXS / Surface Free Wire

Light source

1 x LED 4W 350mA

LED

CRI>90 440.81 lm 110

Driver

Constant Current 350 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Application

Pendant

Packaging

1 Box
10.51 in x 10.94 in x 7.95 in
Gross weight 4.41 lbs
Net weight 3.08 lbs
Vol. 0.5262 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

302.04 lm

Maximum Value

203.44 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Tempo


5776

VIBIA

Design By Lievore Altherr

Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Spec sheet




Optional: undefined

Finish	37 Terra Red NCS S 4040-Y70R 62 Green NCS S 3010-G20Y 18 Graphite ADAPTA RF 9913
LED	2700 K
Control	NO DRIVER / DALI-2 / TRIAC / 0-10V
Electrical connection	Remote Micro / Built-in M / Surface / Remote XXS
Light source	1 x LED 4W 350mA
LED	CRI>90 440.81 lm 110
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
Application	Pendant
Packaging	1 Box 20.08 in x 20.08 in x 6.5 in Gross weight 12.11 lbs Net weight 8.81 lbs Vol. 1.515 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency	100%
Total Flux	317.77 lm
Maximum Value	315.71 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Tempo


5778

VIBIA

Design By Lieve Altherr

Tempo pendant lamps are a design by Lieve Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Spec sheet



Optional: undefined

Finish

- 18 Graphite
ADAPTA RF 9913
- 62 Green
NCS S 3010-G20Y
- 37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

NO DRIVER / DALI-2 / 0-10V / TRIAC

Electrical connection

Surface Free Wire / Remote XXS / Remote Micro / Built-in M / Surface

Light source

1 x LED 4W 350mA

LED

CRI>90 440.81 lm 110

Driver

Constant Current 350 mA 120~277 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

Application

Pendant

Packaging

1 Box
12.91 in x 12.91 in x 16.61 in
Gross weight 8.81 lbs
Net weight 5.51 lbs
Vol. 1.6033 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

261.43 lm

Maximum Value

190.70 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Tempo

5780

VIBIA


Design By Lievore Altherr

Tempo pendant lamps are a design by Lievore Altherr. Suspended from the cable, the blown glass diffuser offers subtle nuances of transparency and translucency. All models of the Tempo collection incorporate LED lighting.

Spec sheet



Optional: undefined

Finish	 37 Terra Red NCS S 4040-Y70R
	 18 Graphite ADAPTA RF 9913
	 62 Green NCS S 3010-G20Y
LED	2700 K
Control	DALI-2 / NO DRIVER / TRIAC / 0-10V
Electrical connection	Surface / Remote Micro / Built-in M / Remote XXS
Light source	1 x LED 4W 350mA
LED	CRI>90 440.81 lm 110
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
	
Application	Pendant
Packaging	1 Box 16.14 in x 16.14 in x 7.87 in Gross weight 8.81 lbs Net weight 5.51 lbs Vol. 1.1866 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency	100%
Total Flux	280.99 lm
Maximum Value	189.88 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com