




Gentry

Patricia Urquiola, 2011

Gentry is based on a pursuit of rigorous and balanced comfort, restrained but with a hint of distortion. The choice of upholstery features an interplay of surfaces that changes the covering without altering the sofa's personality and sophisticated design: the timeless elegance of leather and irony of quilted maxi tricot. The large, independent back and seat cushions offer comfortable positions, both conventional and relaxed; a slim body, raised by minimalist supports, envelops and controls them. In addition to the elegant two or three-seater versions, available in different sizes and depths, there is a wide range of modular elements. A stylish look reinforced by the ease of constructing a complete modular system.






Backrest and armrest	Cold-injected polyurethane foam over internal steel frame. Polyester lining whenever the covers are removable.
Platform	Cold-injected polyurethane foam over internal steel frame with belted structure. Polyester lining whenever the covers are removable.
Cushions	Seat cushions in down feather and polyurethane foam insert Polyester lining whenever the covers are removable. Backrest, armrest and optional cushion are in down feather. For leather versions the back side of the cover will be in fabric matching the leather colour, while in the leather version Z ciré the back of the cushions are perforated.
Seat height	Without applied load: 15¾".
Feet	Feet in chromed or powder coated steel tube.
Upholstery	The Gentry collection covers are removable. For the recommended fabrics see the table on pages 9-11.

Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.


TECHNICAL INFORMATION

MOROSO


- A** For enveloping yet supportive comfort, ideal for long hours of relaxation, we recommend adding the optional cushions codes GE00K3, GE004K, GE0529, GE0531 (see page 8) to help maintain correct and ergonomic posture.



Total depth: 35½"
Depth of seat: 23¾"



Total depth: 41¼"
Depth of seat: 23¾"






Total depth: 47¼"
Depth of seat: 35½"

GE002J 41¼" × 35½" —————
Armchair

GE0001 47¼" × 35½" —————
Armchair




GE0886 70¾" × 35½" —————
2 seater sofa



GE0855 82¾" × 35½" —————
GE0002 82¾" × 41¼" —————
GE0598 82¾" × 47¼" —————
2 seater sofa

GE0856 94½" × 35½" —————
GE0018 94½" × 41¼" —————
GE0599 94½" × 47¼" —————
2 seater sofa major




GE0003 100½" × 35½" —————
3 seater sofa



GE0857 118" × 35½" —————
GE0617 118" × 41¼" —————
GE0618 118" × 47¼" —————
3 seater sofa

GE0214 29¾" × 35½" —————
GE0772 29¾" × 41¼" —————
Stool 29¾" × 41¼"


GE0017 35½" × 35½" —————
GE0076 35½" × 41¼" —————
GE0077 41¼" × 41¼" —————
Stool 35½" × 41¼"




TECHNICAL INFORMATION

MOROSO[®]


GE0077 41 1/4" x 41 1/4" _____
Stool 41 1/4" x 41 1/4"




GE0858 35 1/2" x 35 1/2" _____
GE0395 35 1/2" x 41 1/4" _____
GE0331 35 1/2" x 47 1/4" _____
1 seater central element




GE009U 35 1/2" x 35 1/2" _____
1 seater lateral element




GE0859 41 1/4" x 35 1/2" _____
GE0011 41 1/4" x 41 1/4" _____
GE0396 41 1/4" x 47 1/4" _____
1 seater central element




GE0864 41 1/4" x 35 1/2" _____
GE0388 41 1/4" x 47 1/4" _____
1 seater lateral left




GE0865 41 1/4" x 35 1/2" _____
GE0053 41 1/4" x 41 1/4" _____
GE0387 41 1/4" x 47 1/4" _____
1 seater lateral right




GE0866 47 1/4" x 35 1/2" _____
GE0334 47 1/4" x 41 1/4" _____
Elemento 1p sinistro




GE0867 47 1/4" x 35 1/2" _____
GE0335 47 1/4" x 41 1/4" _____
GE0052 47 1/4" x 47 1/4" _____
Elemento 1p destro




GE0860 59" x 35 1/2" _____
GE0861 59" x 41 1/4" _____
Elemento 2p centrale




GE0862 70 3/4" x 35 1/2" _____
GE0397 70 3/4" x 41 1/4" _____
GE0391 70 3/4" x 47 1/4" _____
2 seater central element



GE0863 82 3/4" x 35 1/2" _____
GE0398 82 3/4" x 41 1/4" _____
GE0399 82 3/4" x 47 1/4" _____
2 seater central element



GE0868 65" x 35 1/2" _____
GE0870 65" x 41 1/4" _____
2 seater lateral left




TECHNICAL INFORMATION

MOROSO[®]


GE0869 65" x 35½" _____

GE0871 65" x 41¼" _____
2 seater lateral right




GE0872 76¾" x 35½" _____

GE0626 76¾" x 41¼" _____
GE0646 76¾" x 47¼" _____
2 seater lateral left




GE0873 76¾" x 35½" _____

GE0627 76¾" x 41¼" _____
GE0647 76¾" x 47¼" _____
2 seater lateral right




GE0876 76¾" x 35½" _____

GE0674 76¾" x 41¼" _____
2 seater left peninsula




GE0877 76¾" x 35½" _____

GE0675 76¾" x 41¼" _____
2 seater right peninsula




GE0874 88½" x 35½" _____

GE0628 88½" x 41¼" _____
GE0648 88½" x 47¼" _____
2 seater lateral left




GE0875 88½" x 35½" _____

GE0629 88½" x 41¼" _____
GE0649 88½" x 47¼" _____
2 seater lateral right




GE0878 112¼" x 35½" _____

GE0676 112¼" x 41¼" _____
3 seater left peninsula




GE0879 112¼" x 35½" _____

GE0677 112¼" x 41¼" _____
3 seater right peninsula




GE0882 41¼" x 65" _____

GE00D4 41¼" x 76¾" _____
Chaise Longue left




GE0883 41¼" x 65" _____

GE00D3 41¼" x 76¾" _____
Chaise Longue right




C11

Composition C11R or C11L




C51

Composition C51R or C51L




C42

Composition C42R or C42L




C22

Composition C22R or C22L




A61

Composition A61R or A61L




A50

Composition A50R or A50L




B60

Composition B60R or B60L




B80

Composition B80R or B80L




A80

Composition A80R or A80L




A90

Composition A90R or A90LA90Sx




B90

Composition B90R or B90L



TECHNICAL INFORMATION


GE00K3
Back cushion 41¼" × 17¾"




GE004K
Optional cushion 17¾" × 15¾"



GE0529
Optional cushion 22¾" × 11"



GE0531
Optional cushion 22¾" × 20¼"



USAGE CATEGORIES

S Soft Use Cosy and natural, with limited wear resistance	M Medium Use Robust and durable, easy to maintain	H Heavy Use High technical values, very robust and durable
DASDIA bouclé	ARDA knit fabric BIG BRAID knit fabric BIG POIS knit fabric BOUCLÉ bouclé FUZZY bouclé PELLE T leather PELLE Z leather	REGOS knit fabric


BOUCLÉS

**M** **BOUCLÉ**

Typology: bouclé
Composition: 47% polyester, 44% cotton, 1% elastomer, 8% other fibres
Height: approx. 140 cm
Weight: 570 g/sqm
Abrasion resistance: 50.000 cycles
Pilling resistance: 3

CAT. **Q**Hanger: **FOREST WANDERING**
147 + 148 + 149 +150


Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S** **DASDIA**

Typology: bouclé
Composition: 45% cotton, 16% viscose, 14% wool, 13% acrylic, 10% linen, 2% polyamide
Height: approx. 140 cm
Abrasion resistance: 35.000 cycles

CAT. **S**Hanger: **TOPPINGS**
154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**M** **FUZZY**


Typology: bouclé
Composition: 48% viscose, 36% wool, 13% cotton, 3% polyamide
Height: approx. 140 cm
Weight: 550 g/sqm
Abrasion resistance: 40.000 cycles
Colour fastness to artificial light: 6
Pilling resistance: 4-5

CAT. **W**Hanger: **TOPPINGS**
154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

KNITTED FABRICS

**M****ARDA**

Typology: jacquard elastic knit
Composition: 70% new wool, 21% polyester, 9% nylon
Height: approx. 140 cm
Weight: 560 g/sqm
Abrasion resistance: 50.000 cycles
Rubbing fastness: 4-5 (dry), 4 (wet)
Colour fastness to artificial light: 5-6
Pilling resistance: 4-5

CAT. **Z**

Hanger: **FOREST WANDERING**
147 + 148 + 149 + 150

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**M****BIG BRAID**

Typology: 3D elastic knit
Composition: 65 % polyester padding, 21% wool, 7% polyester, 2% polyamide, 5% elastane
Height: approx. 140 cm
Weight: 1450 g/sqm
Abrasion resistance: 45.000 cycles
Rubbing fastness: 4-5 (dry)
Colour fastness to artificial light: 5
Pilling resistance: 3

CAT. **W**

Hanger: **ELASTIC_1**
156

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.


**M****BIG POIS**

Typology: 3D elastic knit
Composition: 60 % polyester padding, 20% wool, 10% polyester, 5% polyamide, 5% elastane
Height: approx. 140 cm
Weight: 1450 g/sqm
Abrasion resistance: 50.000 cycles
Rubbing fastness: 4-5 (dry)
Colour fastness to artificial light: 7
Pilling resistance: 3-4

CAT. **W**

Hanger: **HYPER KNIT**
142

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**H****REGOS**

Typology: jacquard elastic knit
Composition: 37% recycled polyester, 23% wool, 17% recycled polyester (textile waste), 10% other fibers (textile waste), 8% nylon, 5% recycled wool (textile waste)
Height: approx. 150 cm
Weight: 1140 g/mq
Abrasion resistance: 100.000 cycles
Colour fastness to artificial light: 6
Pilling resistance: 4-5


CAT. **Y**

Tirella: **ELASTIC_2**
157

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

LEATHERS

**M LEATHER T**

Typology: robust leather with a distinctive, even grain


Thickness: 1,3-1,4 mm

Weight: 800 g/sqm

CAT. **T**

Tirella: **LEATHER
M05**

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**M LEATHER Z**

Typology: leather with a very soft and supple feel

Thickness: 1,2-1,5 mm

Weight: 800 g/sqm

CAT. **Z**

Tirella: **LEATHER
M06**

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: Covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

Moroso Spa

via Nazionale 60
33010 Cavallico, UD, Italy
T +39 0432 577 111
info@moroso.it



GENTRY
Patricia Urquiola, 2011

PRODUCT SHEET
Last updated: February 2026