



Soho

Joan Gaspar

marset

The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.



Soho 38 IP44 LED

Code	Finish
A631-245	● White
A631-246	● Stone grey
A631-247	● Black

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut ELV


Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

LED included

Suitable for wet locations



Electrical
Electrical Rating: 100-120VAC 50-60Hz 16W
Luminaire: 1051lm
CCT: 2700K
CRI: 80



Soho 57 IP44 LED


Code	Finish	Electrical
A631-362	● White	Dual dimming
A631-363	● Stone grey	ELV: 120VAC 50-60Hz 36W
A631-364	● Black	0-10V: 120-277VAC 50-60Hz 36W

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut ELV or 0-10V

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

LED included

Suitable for wet locations



Soho 112 IP44 LED


Code	Finish	Electrical
A631-379	● Black	Electrical Rating: 120-277VAC 95W
		Luminaire: 8085lm
		CCT: 2700K
		CRI: 90

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

LED included

Suitable for wet locations



⚠ WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Download

marsetusa@marset.com
www.marset.com

Photometric data file (LDT or IES)
2D, 3D, Photometric Data
Assembly instructions

Collection

