


Luce Sferica S1

Designed by Ronan Bouroullec, 2025

110W - 5778lm - 2700K - CRI> 95

Modular suspension lamp emitting diffused light. Horizontal body in polished extruded aluminium with two linear LED sources for upward and downward emission. Integrated touch dimmer enables independent control of light outputs. Body encased in a sequence of hand-blown transparent glass spheres separated by traditional spacers. Can be installed in multiple parallel rows.

Designed by Ronan Bouroullec, Luce Sferica unites craftsmanship with industrial technique. Inspired by the fleeting beauty of raindrops resting on a wire or soap bubbles floating in the air, it crystallises time and play into a luminous body that is light, delicate and quietly magical. An ode to simplicity, Luce Sferica reflects Ronan Bouroullec's ability to instil functional design with emotion, giving form to a sculptural luminaire that is deeply faithful to his poetic sensibility and aesthetics.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607075913
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	110
System flux (lm)	5778

Physical

Color	Glass
Length (in)	65.2
Cord length (in)	106.299
Canopy width (in)	4.055
Canopy height (in)	1.693
Net weight (lb)	22.82
Gross weight (lb)	50.71
Package volume (in)	28064.93
IP internal	20

Download

Mounting instructions

PDF

Photometric Files

LDT / IES

IES

Technical Drawings

2D

ZIP

3D

ZIP



Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
CCT (K)	2700
CRI>	95

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
LED current (mA)	500
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmer on board
Dimming interface	Dimmer Integrated

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Luce
Orizzontale/Sferica/Cilindrica
steel wire cable fixing kit | RF3750100 |
| 02. | Luce
Orizzontale/Sferica/Cilindrica
Power supply | RF32976 |
| 03. | Luce
Orizzontale/Sferica/Cilindrica
Ceiling rose dimmer | RF36893 |
| 04. | Luce Sferica/Cilindrica Ceiling
rose cover USA | RF37989 |
| 05. | Luce Sferica/Cilindrica Glass
closing bushing | RF37580 |
| 06. | Luce Orizzontale Suspension
Linear diffuser | RF3746500 |
| 07. | Luce Orizzontale Suspension 1
Led board | RF3746700 |
| 08. | Luce Sferica closed glass diffuser | RF3750600 |
| 09. | Luce Sferica open glass diffuser | RF3750500 |
| 10. | Luce
Orizzontale/Sferica/Cilindrica Ring
and 4 meters steel wire cable | RF3746200 |
| 11. | Luce
Orizzontale/Sferica/Cilindrica 4-
piece spacer ring kit | RF39006 |



RF3750100
Luce
Orizzontale/Sferica/Cilindrica
steel wire cable fixing kit



RF32976
Luce
Orizzontale/Sferica/Cilindrica
Power supply



RF36893
Luce
Orizzontale/Sferica/Cilindrica
Ceiling rose dimmer



RF37989
Luce Sferica/Cilindrica Ceiling
rose cover USA



RF37580
Luce Sferica/Cilindrica Glass
closing bushing



RF3746500
Luce Orizzontale Suspension
Linear diffuser



RF3746700
Luce Orizzontale Suspension 1
Led board



RF3750600
Luce Sferica closed glass diffuser



RF3750500

Luce Sferica open glass diffuser



RF3746200

Luce
Orizzontale/Sferica/Cilindrica Ring
and 4 meters steel wire cable



RF39006

Luce
Orizzontale/Sferica/Cilindrica 4-
piece spacer ring kit

Luce Sferica S2

Designed by Ronan Bouroullec, 2025

145W - 7223lm - 2700K - CRI> 95

Modular suspension lamp emitting diffused light. Horizontal body in polished extruded aluminium with two linear LED sources for upward and downward emission. Integrated touch dimmer enables independent control of light outputs. Body encased in a sequence of hand-blown transparent glass spheres separated by traditional spacers. Can be installed in multiple parallel rows.

Designed by Ronan Bouroullec, Luce Sferica unites craftsmanship with industrial technique. Inspired by the fleeting beauty of raindrops resting on a wire or soap bubbles floating in the air, it crystallises time and play into a luminous body that is light, delicate and quietly magical. An ode to simplicity, Luce Sferica reflects Ronan Bouroullec's ability to instil functional design with emotion, giving form to a sculptural luminaire that is deeply faithful to his poetic sensibility and aesthetics.

Are you a professional and your project needs consulting and support?



BOOK AN APPOINTMENT

Main specifications

EAN	8059607075944
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	145
System flux (lm)	7223

Physical

Color	Glass
Length (in)	81.57
Cord length (in)	106.299
Canopy width (in)	4.055
Canopy height (in)	1.693
Net weight (lb)	27.56
Gross weight (lb)	62.06
Package volume (in)	35027.77
IP internal	20



Download

Mounting instructions [Download PDF](#)

Photometric Files

LDT / IES [Download IES](#)

Technical Drawings

2D [Download ZIP](#)
3D [Download ZIP](#)



Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
CCT (K)	2700
CRI>	95

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
LED current (mA)	600
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmer on board
Dimming interface	Dimmer Integrated

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Luce
Orizzontale/Sferica/Cilindrica
steel wire cable fixing kit | RF3750100 |
| 02. | Luce
Orizzontale/Sferica/Cilindrica
Power supply | RF32976 |
| 03. | Luce
Orizzontale/Sferica/Cilindrica
Ceiling rose dimmer | RF36893 |
| 04. | Luce Sferica/Cilindrica Ceiling
rose cover USA | RF37989 |
| 05. | Luce Sferica/Cilindrica Glass
closing bushing | RF37580 |
| 06. | Luce Orizzontale Suspension 2
Linear diffuser | RF3747200 |
| 07. | Luce Orizzontale Suspension 2
Led board | RF3747300 |
| 08. | Luce Sferica closed glass diffuser | RF3750600 |
| 09. | Luce Sferica open glass diffuser | RF3750500 |
| 10. | Luce
Orizzontale/Sferica/Cilindrica Ring
and 4 meters steel wire cable | RF3746200 |
| 11. | Luce
Orizzontale/Sferica/Cilindrica 4-
piece spacer ring kit | RF39006 |



RF3750100

Luce
Orizzontale/Sferica/Cilindrica
steel wire cable fixing kit



RF32976

Luce
Orizzontale/Sferica/Cilindrica
Power supply



RF36893

Luce
Orizzontale/Sferica/Cilindrica
Ceiling rose dimmer



RF37989

Luce Sferica/Cilindrica Ceiling
rose cover USA



RF37580

Luce Sferica/Cilindrica Glass
closing bushing



RF3747200

Luce Orizzontale Suspension 2
Linear diffuser



RF3747300

Luce Orizzontale Suspension 2
Led board



RF3750600

Luce Sferica closed glass diffuser



RF3750500

Luce Sferica open glass diffuser



RF3746200

Luce
Orizzontale/Sferica/Cilindrica Ring
and 4 meters steel wire cable



RF39006

Luce
Orizzontale/Sferica/Cilindrica 4-
piece spacer ring kit

Luce Sferica S3

Designed by Ronan Bouroullec, 2025

165W - 8667lm - 2700K - CRI> 95

Modular suspension lamp emitting diffused light. Horizontal body in polished extruded aluminium with two linear LED sources for upward and downward emission. Integrated touch dimmer enables independent control of light outputs. Body encased in a sequence of hand-blown transparent glass spheres separated by traditional spacers. Can be installed in multiple parallel rows.

Designed by Ronan Bouroullec, Luce Sferica unites craftsmanship with industrial technique. Inspired by the fleeting beauty of raindrops resting on a wire or soap bubbles floating in the air, it crystallises time and play into a luminous body that is light, delicate and quietly magical. An ode to simplicity, Luce Sferica reflects Ronan Bouroullec's ability to instil functional design with emotion, giving form to a sculptural luminaire that is deeply faithful to his poetic sensibility and aesthetics.

Are you a professional and your project needs consulting and support?



BOOK AN APPOINTMENT

Main specifications

EAN	8059607075975
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	165
System flux (lm)	8667

Physical

Color	Glass
Length (in)	97.95
Cord length (in)	106.299
Canopy width (in)	4.055
Canopy height (in)	1.693
Net weight (lb)	32.19
Gross weight (lb)	73.41
Package volume (in)	41899.07
IP internal	20



Download

Mounting instructions

PDF

Photometric Files

LDT / IES

IES

Technical Drawings

2D

ZIP

3D

ZIP



Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
CCT (K)	2700
CRI>	95

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
LED current (mA)	700
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmer on board
Dimming interface	Dimmer Integrated

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Luce
Orizzontale/Sferica/Cilindrica
steel wire cable fixing kit | RF3750100 |
| 02. | Luce
Orizzontale/Sferica/Cilindrica
Power supply | RF32976 |
| 03. | Luce
Orizzontale/Sferica/Cilindrica
Ceiling rose dimmer | RF36893 |
| 04. | Luce Sferica/Cilindrica Ceiling
rose cover USA | RF37989 |
| 05. | Luce Sferica/Cilindrica Glass
closing bushing | RF37580 |
| 06. | Luce Orizzontale Suspension 3
Linear diffuser | RF3748200 |
| 07. | Luce Orizzontale Suspension 3
Led board | RF3748400 |
| 08. | Luce Sferica closed glass diffuser | RF3750600 |
| 09. | Luce Sferica open glass diffuser | RF3750500 |
| 10. | Luce
Orizzontale/Sferica/Cilindrica Ring
and 4 meters steel wire cable | RF3746200 |
| 11. | Luce
Orizzontale/Sferica/Cilindrica 4-
piece spacer ring kit | RF39006 |



RF3750100

Luce
Orizzontale/Sferica/Cilindrica
steel wire cable fixing kit



RF32976

Luce
Orizzontale/Sferica/Cilindrica
Power supply



RF36893

Luce
Orizzontale/Sferica/Cilindrica
Ceiling rose dimmer



RF37989

Luce Sferica/Cilindrica Ceiling
rose cover USA



RF37580

Luce Sferica/Cilindrica Glass
closing bushing



RF3748200

Luce Orizzontale Suspension 3
Linear diffuser



RF3748400

Luce Orizzontale Suspension 3
Led board



RF3750600

Luce Sferica closed glass diffuser



RF3750500

Luce Sferica open glass diffuser



RF3746200

Luce
Orizzontale/Sferica/Cilindrica Ring
and 4 meters steel wire cable



RF39006

Luce
Orizzontale/Sferica/Cilindrica 4-
piece spacer ring kit