SCREEN

Francesco Rota | 2016

SCREEN

Francesco Rota | 2016

Like punctuation, SCREEN panels coordinate the lines of the contemporary office. In the wide open space, the partition system created by Francesco Rota allows each work station to be defined, thanks to magnet linking system. It is an elegant “invisible” element that provides privacy in a light version. Maximum versatility for heights and for tubular wood solutions or a sound-absorbing fabric panel. The space stays open, the mind can concentrate and rest.

S — short

S — medium



S — long



S — mixed



X_shape



X_shape — big



C — short



C — long



Intersections - 4



Intersections - 3



L_shape



Wall shape



Corner shape



Cross shape

SCREEN

Francesco Rota | 2016

Partition with steel frame and tubes in aluminium either powder coated or veneered in blanched oak, oak black stained or upholstered with fabric. Metal feet are included for the straight partition and optional for the curved version

TEST Sound absorption - class C - Maya
TEST Fire resistance - class 1 - Medley

magnets



partition system



SCREEN

Francesco Rota | 2016



SCREEN

Francesco Rota | 2016



SCREEN

Francesco Rota | 2016

frame

powder coating
black
1 Colors

powder coating
white
1 Colors

tubes

wood
blanched oak
1 Colors

fabric
Uniform Melange - Grade E
38 Colors



wood
black open pore
1 Colors

powder coating
black
1 Colors

powder coating
white
1 Colors

upholstery

fabric
Hallingdal 65 - Grade C
58 Colors

fabric
Canvas 2 - Grade C
45 Colors

fabric
Steelcut Trio 3 - Grade D
54 Colors

fabric
Remix 3 - Grade C
72 Colors

fabric
Divina MD - Grade D
27 Colors

fabric
Divina Melange 3 - Grade D
38 Colors

fabric
Medley - Grade A
37 Colors



fabric
Maya - Grade A
43 Colors

fabric
Jet - Grade A
66 Colors

fabric
Fiord 2 - Grade C
39 Colors

fabric
Tonica 2 - Grade C
39 Colors



fabric
Capture - Grade B
60 Colors

fabric
Crisp - Grade B
40 Colors



fabric
Iris - Grade B
34 Colors



fabric
Grain - Grade. B
50 Colors

fabric
Steelcut 3 - Grade D
40 Colors

fabric
Re-wool - Grade C
24 Colors

consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

use and maintenance instructions
Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately.When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users.Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range.Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.