



Ringo

Joan Gaspar

marset

A large pendant or ceiling lamp that accentuates material rather than form. Its large size is in keeping with its function, since it's been designed to illuminate large spaces with considerably high ceilings and contemporary architectural projects requiring a

great deal of light. Switched off it's a forceful object with a strong presence; switched on it manages to make the material less dense and its design weightless.



Ringo C 70 Fixed Stem

Code	Finish
A732-103-53-3CCT	Smoked
A732-103-62-3CCT	Dark smoked
A732-103-63-3CCT	Rosé
A732-103-57-3CCT	Green

Electrical
Electrical Rating: 120-277VAC 60Hz 31W
Luminaire: 2363lm
CCT: 2700K-3000K-4000K
CRI: 90

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: TRI-DIM driver:
TRIAC (min. 1%) /
ELV / 0-10V

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate
Structure: Black painted Steel



Product Notes: LED included.
The height can be increased by means of the 16 or 24" poles (max. 3 units).
They can be combined.

Fixture net weight: 26 lb

Wire installation: Hardwired

 **Dry locations only** Dimmable

Mounting plate detail:



Ringo C 90 Fixed Stem

Code	Finish
A732-106-53-3CCT	Smoked
A732-106-62-3CCT	Dark smoked
A732-106-63-3CCT	Rosé
A732-106-57-3CCT	Green

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver:
ELV (min. 10%) /
0-10V (min. 10%)

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate
Structure: Black painted Steel

Product Notes: LED included.
The height can be increased by means of the 16 or 24" poles (max. 3 units).
They can be combined.


Fixture net weight: 44.3 lb

Wire installation: Hardwired


 **Dry locations only**

Dimmable

Electrical
Electrical Rating: 120-277VAC 60Hz 53W
Luminaire: 4746lm
CCT: 2700K-3000K-4000K
CRI: 90



Mounting plate detail:



Accessories

Pole Ringo 16

Code	Finish
A732-013-39	Black


Materials
Structure: Metal



Pole Ringo 24

Code	Finish
A732-014-39	Black

Materials
Structure: Metal



⚠ WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

marsetusa@marset.com
www.marset.com

Download
Photometric data file (LDT or IES)
2D, 3D, Photometric Data
Assembly instructions