

Flamingo


1510

Design By Antoni Arola

VIBIA

The designer Antoni Arola has created the Flamingo lamps collection for Vibia. A collection of pendant lights that provides an ambient light through a thermoplastic translucent diffuser which performs like a spotlight thanks to its LED light source.

Spec sheet



Optional: undefined

Finish

93 White
RAL 9016

20 Gold
Gold

18 Graphite
RAL 7016

LED

2700 K / 3500 K

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

2 x LED 5.6W 500mA

LED

CRI>90 1388.84 lm 124

Driver

Constant Current 500 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Cable can be adjusted in the field.
157" max.

Application

Pendant


Packaging

2 Box
48.62 in x 12.8 in x 8.27 in
Gross weight 19.82 lbs
Net weight 17.91 lbs
Vol. 5.6751 ft3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency

56.06 lm/W

Total Flux

1109.94 lm

Maximum Value

751.59 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS

Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Flamingo


1527

Design By Antoni Arola

VIBIA

The designer Antoni Arola has created the Flamingo lamps collection for Vibia. A collection of pendant lights that provides an ambient light through a thermoplastic translucent diffuser that performs like a spotlight thanks to its LED light source.

Spec sheet



Optional: undefined

Finish

- 20 Gold
- 93 White
- 18 Graphite

LED

2700 K / 3500 K

Control

0-10V / DALI-2

Electrical connection

Surface

Light source

2 x LED 5.6W 500mA

LED

CRI>90 1388.84 lm 124.00

Driver

Constant Current 500 mA 120~277 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Cable can be adjusted in the field. 157" max.

Application

Pendant


Packaging

2 Box
48.62 in x 12.8 in x 8.27 in
Gross weight 22.03 lbs
Net weight 20.11 lbs
Vol. 5.6751 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

1109.94 lm

Maximum Value

751.59 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Flamingo


1530

VIBIA

Design By Antoni Arola

The designer Antoni Arola has created the Flamingo lamps collection for Vibia. A collection of pendant lights that provides an ambient light through a thermoplastic translucent diffuser which performs like a spotlight thanks to its LED light source.

Spec sheet



Optional: undefined

Finish

- 18 Graphite RAL 7016
- 20 Gold Gold
- 93 White RAL 9016

LED

2700 K / 3500 K

Control

0-10V / DALI-2

Electrical connection

Surface

Light source

3 x LED 5.6W 500mA

LED

CRI>90 2083.26 lm 124

Driver

Constant Current 500 mA 120~277 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Cable can be adjusted in the field. 157" max.

Application

Pendant


Packaging

3 Box
55.79 in x 12.8 in x 8.27 in
Gross weight 30.84 lbs
Net weight 27.8 lbs
Vol. 7.9953 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

56.06 lm/W

Total Flux

1664.91 lm

Maximum Value

1503.18 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

Flamingo



1550

VIBIA

Design By Antoni Arola

The designer Antoni Arola has created the Flamingo lamps collection for Vibia. A collection of pendant lights that provides an ambient light through a thermoplastic translucent diffuser which performs like a spotlight thanks to its LED light source.

Spec sheet



Optional: undefined

Finish

- 18 Graphite
RAL 7016
- 20 Gold
Gold
- 93 White
RAL 9016

LED

2700 K / 3500 K

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

3 x LED 5.6W 500mA

LED

CRI>90 2083.26 lm 124

Driver

Constant Current 500 mA 120~277 V
50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Cable can be adjusted in the field.
157" max.

Application

Pendant


Packaging

3 Box
55.79 in x 12.8 in x 8.27 in
Gross weight 30.84 lbs
Net weight 27.8 lbs
Vol. 7.9953 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

56.06 lm/W

Total Flux

1664.91 lm

Maximum Value

1503.18 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

Flamingo



1560

VIBIA

Design By Antoni Arola

The designer Antoni Arola has created the Flamingo lamps collection for Vibia. A collection of pendant lights that provides an ambient light through a thermoplastic translucent diffuser which performs like a spotlight thanks to its LED light source.

Spec sheet



Optional: undefined

- Finish**
- 18 Graphite Flamingo RAL 7016
 - 93 White RAL 9016
 - 20 Gold Gold
- LED** 2700 K / 3500 K
- Control** 0-10V / DALI-2

Electrical connection Surface


- Light source** 3 x LED 5.6W 500mA
- LED** CRI>90 2083.26 lm 124
- Driver** Constant Current 500 mA 120~277 V 50/60 Hz
- Remarks** Cable can be adjusted in the field. 157" max.

- Application** Pendant
- Packaging** 3 Box
76.26 in x 12.8 in x 8.27 in
Gross weight 33.7 lbs
Net weight 29.6 lbs
Vol. 10.4356 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



- Efficiency** 56.06 lm/W
- Total Flux** 1664.91 lm
- Maximum Value** 1503.18 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Flamingo


1570

Design By Antoni Arola

VIBIA

Pendant designed for large and high ceiling spaces. A large light chandelier with a contemporary sculptural quality where floating circles of light generate a luminous ambiance.

Spec sheet



Optional: undefined

Finish

- 20 Gold
- 93 White
- 18 Graphite

LED

2700 K / 3500 K

Control

DALI-2 / 0-10V

Electrical connection

Surface

Light source

4 x LED 5.6W 500mA

LED

CRI>90 2777.68 lm 124.00

Driver

Constant Current 1000 mA 120~277 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

Remarks

Cable can be adjusted in the field. 157" max.

Application

Pendant


Packaging

3 Box
100.28 in x 12.8 in x 8.27 in
Gross weight 37.89 lbs
Net weight 34.01 lbs
Vol. 11.9047 ft3



Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric Data



Efficiency

100%

Total Flux

2219.88 lm

Maximum Value

1503.18 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)