

FLOS



FU636722 Panama

Superarchimoon outdoor Panama


Designed by Philippe Starck, 2007

Halogen - 250W - Beam° 78



Floor lamp for outdoor use providing direct and diffused light. External diffuser obtained from braided colored PVC tubes, internal frame in polyester-painted aluminum tubular. Internal diffuser in injection-molded opal polycarbonate. Structural parts of the luminaire (base support, diffusers support, arms, brackets, levers and tie rods) treated with a chemical conversion for enhanced weather resistance. Body is painted in grey. Springs and main mechanical components are also made with special materials for good weather resistance. The luminaire has no ON/OFF switch or luminous flux adjustment, but has a 10 mt transparent bipolar feeding cord. The luminaire also is equipped with a junction box suitable for outdoor applications.

Designed by Philippe Starck, Superarchimoon Outdoor is an exaggerated, monumental evolution of the iconic Archimoon, reimagined for outdoor living. Oversized yet precise, it plays with scale and perception, transforming a functional object into a powerful architectural statement. Its distinctive woven diffuser introduces texture and warmth, creating a commanding presence across terraces, gardens and open-air spaces. Bold and expressive, Superarchimoon Outdoor brings Starck's provocative vision to outdoor spaces.



Download

Family spec sheet



Mounting instructions



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

Mounting	Floor
Environments	Outdoor wet location
Light Source Type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp type	T Shielded
Lamp holders	E26
Number of lamps	1
Power (W)	250

Physical

Color	Panama
Orientation	Adjustable
Length (in)	31.1
Net weight (lb)	353.4
Gross weight (lb)	410.06
Package volume (in)	88877.34
IP internal	55

GWT 850°	IP 55
-------------	----------

Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
Beam angle C0-180 (°)	78
Beam angle C90-270 (°)	78
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Plug type	Type A
Batteries inside	No

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K

We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.



Spare Parts



- 01. Superarchimoon/Romeo Ceiling 3 Outdoor Diffuser Panama F6377022
- 02. Internal diffuser for Panama & Green Wall version RF6377100
- 03. Superachimoon Outdoor Cover RF6376200
- 04. Superarchimoon Floor support bag kit RF6372200



F6377022

Superarchimoon/Romeo Ceiling 3
Outdoor Diffuser Panama



RF6377100

Internal diffuser for Panama &
Green Wall version



RF6376200

Superachimoon Outdoor Cover



RF6372200

Superarchimoon Floor support
bag kit

FLOS



FU636741 Green Wall

Superarchimoon outdoor Green wall


Designed by Philippe Starck, 2007

Halogen - 250W - Beam° 74



Floor lamp for outdoor use providing direct and diffused light. External diffuser obtained from braided colored PVC tubes, internal frame in polyester-painted aluminum tubular. Internal diffuser in injection-molded opal polycarbonate. Structural parts of the luminaire (base support, diffusers support, arms, brackets, levers and tie rods) treated with a chemical conversion for enhanced weather resistance. Body is painted in grey. Springs and main mechanical components are also made with special materials for good weather resistance. The luminaire has no ON/OFF switch or luminous flux adjustment, but has a 10 mt transparent bipolar feeding cord. The luminaire also is equipped with a junction box suitable for outdoor applications.

Designed by Philippe Starck, Superarchimoon Outdoor is an exaggerated, monumental evolution of the iconic Archimoon, reimagined for outdoor living. Oversized yet precise, it plays with scale and perception, transforming a functional object into a powerful architectural statement. Its distinctive woven diffuser introduces texture and warmth, creating a commanding presence across terraces, gardens and open-air spaces. Bold and expressive, Superarchimoon Outdoor brings Starck's provocative vision to outdoor spaces.



Download

Family spec sheet



Mounting instructions



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

Mounting	Floor
Environments	Outdoor wet location
Light Source Type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp type	T Shielded
Lamp holders	E26
Number of lamps	1
Power (W)	250

Physical

Color	Green Wall
Orientation	Adjustable
Length (in)	31.1
Net weight (lb)	353.4
Gross weight (lb)	410.06
Package volume (in)	88877.34
IP internal	55

GWT 850°	IP 55
-------------	----------

Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
Beam angle C0-180 (°)	74
Beam angle C90-270 (°)	74
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Plug type	Type A
Batteries inside	No

Notes

Light source not included. HSGS E27: 1x250W or 1 LED: 21W - 2450 lm - 3000K

We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | Superarchimoon/Romeo C3
Outdoor Diffuser Green Wall | F6377041 |
| 02. | Internal diffuser for Panama &
Green Wall version | RF6377100 |
| 03. | Superachimoon Outdoor Cover | RF6376200 |
| 04. | Superarchimoon Floor support
bag kit | RF6372200 |



F6377041
Superarchimoon/Romeo C3
Outdoor Diffuser Green Wall



RF6377100
Internal diffuser for Panama &
Green Wall version



RF6376200
Superarchimoon Outdoor Cover



RF6372200
Superarchimoon Floor support
bag kit