

Knit


7460

VIBIA

Design By Meike Harde

The Knit pendant is characterized by the light emitted by its fabric shade, creating a soft light effect that generates a warm, cozy atmosphere.

Spec sheet





Optional: undefined

Finish	24 Beige M1 NCS S 2005-Y50R
LED	2700 K
Control	0-10V
Electrical connection	Remote Micro / Surface / Built-in M / Remote XXS
Light source	6 x LED 5,9W 350mA
LED	CRI>90 4752 lm 134
Driver	Constant Current 1050 mA 100~277 V 50/60 Hz
	Dimmable LED IP20 Multi-volt 
Application	Pendant
Packaging	

Lighting effect



Photometric Data



Efficiency	100%
Total Flux	1842.25 lm
Maximum Value	186.24 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Knit

7470

VIBIA

Design By Meike Harde

The Knit pendant is characterized by the light emitted by its fabric shade, creating a soft light effect that generates a warm, cozy atmosphere.

Spec sheet




Optional: undefined

Finish	24 Beige M1 NCS S2005-Y50R
LED	2700 K
Control	0-10V
Electrical connection	Surface / Built-in M / Remote XXS / Remote Micro
Light source	6 x LED 6,7 W 1200 mA
LED	CRI>90 4752 lm 118
Driver	Constant Current 1200 mA 120~277 V 50/60 Hz
	Dimmable LED IP20 Multi-volt 
Application	Pendant
Packaging	

Lighting effect



Photometric Data



Efficiency	100%
Total Flux	2645.16 lm
Maximum Value	266.71 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Knit

7475

VIBIA

Design By Meike Harde

The Knit pendant is characterized by the light emitted by its fabric shade, creating a soft light effect that generates a warm, cozy atmosphere.

Spec sheet





Optional: undefined

Finish	24 Beige M1 NCS S 2005-Y50R
LED	2700 K
Control	0-10V
Electrical connection	Remote XXS / Built-in M / Remote Micro / Surface
Light source	6 x LED 6,7 W 1200 mA
LED	CRI>90 4752 lm 118
Driver	Constant Current 1200 mA 120~277 V 50/60 Hz
	Dimmable LED IP20 Multi-volt 
Application	Pendant
Packaging	

Lighting effect



Photometric Data



Efficiency	100%
Total Flux	2645.16 lm
Maximum Value	266.71 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com