

# Array


## 1800

VIBIA

Design By Umut Yamac

The Array pendant lamp includes a series of technical filaments that are pulled taut between two rings through which the light rises creating a colour gradient. The cylindrical shape and intimate size make it perfect for small scale spaces.

### Spec sheet



Optional: undefined

- Finish**
- 24 Beige M1  
NCS S 2005-Y50R
  - 37 Terra Red  
NCS S 4040-Y70R
  - 47 Green L1  
NCS S 4005-G80Y

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Surface / Remote Micro

**Light source** 1 x LED STRIP 22W 48V

**LED** CRI>90 2662 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

F Dimmable LED IP20 Multi-volt


**Application** Pendant

**Packaging**



#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



**Efficiency** 26.94 lm/W

**Total Flux** 592.57 lm

**Maximum Value** 201.28 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

# Array



## 1805

VIBIA

Design By Umut Yamac

The hanging Array lamp combines a series of fine technical filaments between two rings. Indirect light rises through the cylindrical shape forming a color gradient.

### Spec sheet



Optional: undefined

- Finish**
- 37 Terra Red  
NCS S 4040-Y70R
  - 24 Beige M1  
NCS S2005-Y50R
  - 47 Green L1  
NCS S 4005-G80Y

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Surface / Remote Micro

**Light source** 1 x LED STRIP 22W 48V

**LED** CRI>90 2662 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 


**Application** Pendant

**Packaging**



#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



**Efficiency** 26.935 lm/W

**Total Flux** 593 lm

**Maximum Value** 201.28 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array

## 1810

VIBIA

Design By Umut Yamac

The large scale hanging cylindrical silhouette Array lamp wraps around the space rather than dominating it thanks to its spacious format of filaments that create a transparency through the volume it occupies.

### Spec sheet



Optional: undefined

- Finish**
- 24 Beige M1  
NCS S 2005-Y50R
  - 37 Terra Red  
NCS S 4040-Y70R
  - 47 Green L1  
NCS S 4005-G80Y

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Remote Micro / Surface

**Light source** 1 x LED STRIP 22W 48V

**LED** CRI>90 2662 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

F Dimmable LED IP20 Multi-volt


**Application** Pendant

**Packaging**



#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



**Efficiency** 26.935 lm/W

**Total Flux** 593 lm

**Maximum Value** 201.28 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


1815

VIBIA

Design By Umut Yamac

The hanging Array lamp includes a series of fine technical filaments pulled taut between two rings, where the light rises upwards creating a colour gradient. The cylindrical form and the intimate dimensions make it ideal for small spaces.

## Spec sheet



Optional: undefined

|         |                 |           |
|---------|-----------------|-----------|
| Finish  | 47              | Green L1  |
|         | NCS S 4005-G80Y |           |
|         | 24              | Beige M1  |
|         | NCS S 2005-Y50R |           |
|         | 37              | Terra Red |
|         | NCS S 4040-Y70R |           |
|         |                 |           |
| LED     | 2700 K / 3000 K |           |
| Control | 0-10V           |           |


Electrical connection Remote Micro / Surface

|              |                                                                                                                      |
|--------------|----------------------------------------------------------------------------------------------------------------------|
| Light source | 1 x LED STRIP 33W 48V                                                                                                |
| LED          | CRI>90 3993 lm 121                                                                                                   |
| Driver       | Constant Voltage 90~305 V 50/60 Hz                                                                                   |
|              | F Dimmable LED IP20 Multi-volt  |
| Application  | Pendant                                                                                                              |
| Packaging    |                                                                                                                      |



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



|               |             |
|---------------|-------------|
| Efficiency    | 26.935 lm/W |
| Total Flux    | 593 lm      |
| Maximum Value | 201.28 cd   |

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array



## 1820

Design By Umut Yamac

VIBIA

The Array pendant combines a series of fine technical filaments between two rings, The indirect light rises through the cylindrical form creating a color gradient.

### Spec sheet



Optional: undefined

#### Finish

37 Terra Red  
NCS S 4040-Y70R

47 Green L1  
NCS S 4005-G80Y

24 Beige M1  
NCS S 2005-Y50R

#### LED

2700 K / 3000 K

#### Control

0-10V

Electrical connection Surface / Remote Micro

Light source 1 x LED STRIP 33W 48V

LED CRI>90 3993 lm 121

#### Driver

Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

#### Application


Pendant

#### Packaging



#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



#### Efficiency

100%

#### Total Flux

889

#### Maximum Value

301.92 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


## 1825

VIBIA

Design By Umut Yamac

The large-scale cylindrical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a more translucent volume. Evoking an ethereal visual sensation.

### Spec sheet



Optional: undefined

- Finish**
- 37 Terra Red  
NCS S 4040-Y70R
  - 47 Green L1  
NCS S 4005-G80Y
  - 24 Beige M1  
NCS S 2005-Y50R

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Remote Micro / Surface

**Light source** 1 x LED STRIP 33W 48V

**LED** CRI>90 3993 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 


**Application** Pendant

**Packaging**



#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



**Efficiency** 100%

**Total Flux** 593

**Maximum Value** 201.28 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


1830

VIBIA

Design By Umut Yamac

The Array pendant combines a series of fine technical filaments between two rings, The indirect light rises through the cylindrical form creating a color gradient.

## Spec sheet



Optional: undefined

- Finish**
- 24 Beige M1  
NCS S 2005-Y50R
  - 47 Green L1  
NCS S 4005-G80Y
  - 37 Terra Red  
NCS S 4040-Y70R

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Remote Micro / Surface

**Light source** 1 x LED STRIP 50W 48V

**LED** CRI>90 6050 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 


**Application** Pendant

**Packaging**



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



**Efficiency** 100%

**Total Flux** 1347

**Maximum Value** 457.46 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


1835

VIBIA

Design By Umut Yamac

The large scale hanging cylindrical silhouette Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucence through the volume it occupies.

## Spec sheet



Optional: undefined

- Finish**
- 47 Green L1  
NCS S 4005-G80Y
  - 24 Beige M1  
NCS S2005-Y50R
  - 37 Terra Red  
NCS S 4040-Y70R

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Surface / Remote Micro

**Light source** 1 x LED STRIP 50W 48V

**LED** CRI>90 6050 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 


**Application** Pendant

**Packaging**



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



**Efficiency** 100%

**Total Flux** 1347

**Maximum Value** 457.46 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


## 1840

Design By Umut Yamac

VIBIA

The Array pendant combines a series of fine technical filaments between two rings, The indirect light rises through the cylindrical form creating a color gradient.

### Spec sheet



Optional: undefined

- Finish**
- 47 Green L1  
NCS S 4005-G80Y
  - 37 Terra Red  
NCS S 4040-Y70R
  - 24 Beige M1  
NCS S 2005-Y50R

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Surface / Remote Micro

**Light source** 1 x LED STRIP 76W 48V

**LED** CRI>90 9196 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 


**Application** Pendant

**Packaging**


#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



**Efficiency** 100%

**Total Flux** 2047 lm  
**Maximum Value** 695.34 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition [sales@vibia.com](mailto:sales@vibia.com)

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 [sales@vibia.com](mailto:sales@vibia.com) [www.vibia.com/us/usa](http://www.vibia.com/us/usa)

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array



## 1845

VIBIA

Design By Umut Yamac

The large-scale cylindrical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filament creating a translucence through the volume it occupies.

### Spec sheet



Optional: undefined

#### Finish

- 47 Green L1  
NCS S 4005-G80Y
- 24 Beige M1  
NCS S2005-Y50R
- 37 Terra Red  
NCS S 4040-Y70R

#### LED

2700 K / 3000 K

#### Control

0-10V

Electrical connection Remote Micro / Surface

#### Light source

1 x LED STRIP 76W 48V

#### LED

CRI>90 9196 lm 121

#### Driver

Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

#### Application


Pendant

#### Packaging



#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



#### Efficiency

100%

#### Total Flux

2047 lm

#### Maximum Value

695.cd cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


## 1850

VIBIA

Design By Umut Yamac

The Array hanging lamp includes a series of technical filaments pulled taut between two rings where the light rises creating a colour gradient. The conical shape and intimate dimensions make it ideal for small spaces.

### Spec sheet



Optional: undefined

|         |                 |                 |
|---------|-----------------|-----------------|
| Finish  | 47              | Green L1        |
|         | NCS S 4005-G80Y |                 |
|         | 24              | Beige M1        |
|         | NCS S 2005-Y50R |                 |
|         | 37              | Terra Red       |
|         | NCS S 4040-Y70R |                 |
|         | LED             | 2700 K / 3000 K |
| Control | 0-10V           |                 |

Electrical connection Surface / Remote Micro

|              |                                                                                                                      |
|--------------|----------------------------------------------------------------------------------------------------------------------|
| Light source | 1 x LED STRIP 33W 48V                                                                                                |
| LED          | CRI>90 3993 lm 121                                                                                                   |
| Driver       | Constant Voltage 90~305 V 50/60 Hz                                                                                   |
|              | F Dimmable LED IP20 Multi-volt  |
| Application  | Pendant                                                                                                              |
| Packaging    |                                                                                                                      |



#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data



|               |             |
|---------------|-------------|
| Efficiency    | 26.935 lm/W |
| Total Flux    | 593 lm      |
| Maximum Value | 201.28 cd   |

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavà  
(Barcelona - Spain)

# Array


1855

VIBIA

Design By Umut Yamac

The Array pendant combines a series of fine technical filaments between two rings, The indirect light rises through the cylindrical form creating a color gradient.

## Spec sheet



Optional: undefined

- Finish**
- 24 Beige M1  
NCS S2005-Y50R
  - 37 Terra Red  
NCS S 4040-Y70R
  - 47 Green L1  
NCS S 4005-G80Y

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Surface / Remote Micro

**Light source** 1 x LED STRIP 33W 48V

**LED** CRI>90 3993 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

**Application** Pendant

**Packaging**



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



**Efficiency** 100%

**Total Flux** 889 lm

**Maximum Value** 301.92 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array



1860

VIBIA

Design By Umut Yamac

The large-scale conical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucence through the volume it occupies.

## Spec sheet



Optional: undefined

- Finish**
- 37 Terra Red  
NCS S 4040-Y70R
  - 24 Beige M1  
NCS S 2005-Y50R
  - 47 Green L1  
NCS S 4005-G80Y

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Remote Micro / Surface

**Light source** 1 x LED STRIP 33W 48V

**LED** CRI>90 3993 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

**Application** Pendant

**Packaging**



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



**Efficiency** 100%

**Total Flux** 889 lm

**Maximum Value** 301.92 cd

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

# Array


1865

VIBIA

Design By Umut Yamac

The Array pendant combines a series of fine technical filaments between two rings, The indirect light rises through the cylindrical form creating a color gradient.

## Spec sheet



Optional: undefined

- Finish**
- 37 Terra Red  
NCS S 4040-Y70R
  - 24 Beige M1  
NCS S2005-Y50R
  - 47 Green L1  
NCS S 4005-G80Y
- LED** 2700 K / 3000 K
- Control** 0-10V

**Electrical connection** Remote Micro / Surface

- Light source** 1 x LED STRIP 50W 48V
- LED** CRI>90 6050 lm 121
- Driver** Constant Voltage 90~305 V 50/60 Hz
- Application** Pendant
- Packaging**
- Dimmable LED IP20 Multi-volt 



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



- Efficiency** 100%
- Total Flux** 1347 lm
- Maximum Value** 457.46 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


1870

VIBIA

Design By Umut Yamac

The large-scale conical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucence through the volume it occupies.

## Spec sheet



Optional: undefined

- Finish**
- 24 Beige M1  
NCS S 2005-Y50R
  - 37 Terra Red  
NCS S 4040-Y70R
  - 47 Green L1  
NCS S 4005-G80Y

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Remote Micro / Surface

**Light source** 1 x LED STRIP 50W 48V

**LED** CRI>90 6050 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

**Application** Pendant

**Packaging**



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



**Efficiency** 100%

**Total Flux** 1347 lm

**Maximum Value** 457.46 cd

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

# Array


1875

VIBIA

Design By Umut Yamac

The hanging Array lamp combines a series of fine technical filaments between two rings. The indirect light rises through its conical shape creating a colour gradient. The combination of shape, texture and luminosity offers an ephemeral visual sensation.

## Spec sheet



Optional: undefined

- Finish**
- 37 Terra Red  
NCS S 4040-Y70R
  - 24 Beige M1  
NCS S2005-Y50R
  - 47 Green L1  
NCS S 4005-G80Y

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Surface / Remote Micro

**Light source** 1 x LED STRIP 76W 48V

**LED** CRI>90 9196 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

**Application** Pendant

**Packaging**



### Lighting effect

#### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data



**Efficiency** 100%

**Total Flux** 2047 lm  
**Maximum Value** 695.34 cd

VIBIA, INC.

USA & CANADA  
272 Fernwood Ave. Edison, NJ 08837. USA  
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS  
Progrés 4-6. 08850 Gavá  
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

# Array


## 1880

VIBIA

Design By Umut Yamac

The large-scale conical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucency through the volume it occupies.

### Spec sheet



Optional: undefined

- Finish**
- 47 Green L1  
NCS S 4005-G80Y
  - 24 Beige M1  
NCS S2005-Y50R
  - 37 Terra Red  
NCS S 4040-Y70R

**LED** 2700 K / 3000 K

**Control** 0-10V

**Electrical connection** Surface / Remote Micro

**Light source** 1 x LED STRIP 76W 48V

**LED** CRI>90 9196 lm 121

**Driver** Constant Voltage 90~305 V 50/60 Hz

Dimmable LED IP20 Multi-volt 

**Application** Pendant

**Packaging**

#### Lighting effect

##### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



#### Photometric Data

