


Design By Diego Fortunato

The Mayfair lamps are a Diego Fortunato design proposal. The entire Mayfair collection incorporates LED lighting and comes in various finishes: white, black, gold, and copper.

Spec sheet



Finish

- 18 Graphite
RAL 7016
- 20 Gold
Gold
- 38 Terra Dark
NCS S 5040-Y70R
- 23 Warm White
NCS S 0502-Y50R
- 25 Beige D1
NCS S 4005-Y50R

LED

2700 K

Control

Optical sensor / PUSH 2

Electrical connection

Surface

Light source

1x LED STRIP+24V 2.4W

Light source

1x LED STRIP+24V 2.4W

LED

CRI>90 1841 lm 123

Driver

Constant Voltage 100~240 V 50/60 Hz

Dimmer LED IP20 Bi-volt  Dry Location

Remarks

Sensor optical dimmer

Application

Floor and Table


Packaging

1 Box
24.21 in x 13.78 in x 8.66 in
Gross weight 10.79 lbs
Net weight 9.71 lbs
Vol. 1.6704 ft3



Lighting effect

Indirect lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data



Efficiency

26.31%

Total Flux

1840.50 lm


Maximum Value

66.01 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Mayfair table lamp, design by Diego Fortunato, uses new LED technology to enhance the reformed billiards light. The lamp can be dimmed via an optical sensor. The Mayfair table lamp is available in four different finishes and is now available in a bolt-down version.

Spec sheet



Finish

-  20 Gold
Gold
-  25 Beige D1
NCS S 4005-Y50R
-  37 Terra Red
NCS S 4040-Y70R
-  18 Graphite
RAL 7016
-  23 Warm White
NCS S 0502-Y50R

LED

2700 K

Control

Optical sensor / PUSH 2

Electrical connection

Bolt-down

Light source

1 x LED STRIP 24V 12.6W

Light source

1 x LED STRIP 24V 12.6W

LED

CRI>90 1841 lm 116

Driver

Constant Voltage 100~240 V 50/60 Hz

Remarks

Touch sensitive dimmer switch on base

Application

Floor and Table


Packaging

1 Box
24.21 in x 13.78 in x 8.66 in
Gross weight 10.79 lbs
Net weight 9.71 lbs
Vol. 1.6704 ft³



Lighting effect

Indirect lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data



Efficiency

26.31%

Total Flux

1840.50 lm

Maximum Value

66.01 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Mayfair


5508

Design By Diego Fortunato

VIBIA

Mayfair table lamp, design by Diego Fortunato, uses new LED technology to enhance the reformed billiards light. The lamp can be dimmed via an optical sensor. The Mayfair table lamp is available in four different finishes and is now available in a bolt-down version.

Spec sheet



Finish

25 Beige D1
NCS S 4005-Y50R

38 Terra Dark
NCS S 5040-Y70R

20 Gold
Gold

23 Warm White
NCS S 0502-Y50R

18 Graphite
RAL 7016

LED

2700 K

Control

Optical sensor / PUSH 2

Electrical connection Bolt-down

Light source 1 x LED STRIP 24V 12.6W
Light source 1 x LED STRIP 24V 12.6W

LED CRI>90 1841 lm 116

Driver Constant Voltage 100~240 V 50/60 Hz

Dimmable LED IP20 Bi-volt  (Dry Location)

Remarks

Touch sensitive dimmer switch on base

Application

Floor and Table


Packaging

1 Box
24.21 in x 13.78 in x 8.66 in
Gross weight 10.79 lbs
Net weight 9.71 lbs
Vol. 1.6704 ft3



Lighting effect

Indirect lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data



Efficiency 26.31%

Total Flux 1840.50 lm
Maximum Value 66.01 cd/klm

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Design By Diego Fortunato

The Mayfair lamps are a Diego Fortunato design proposal. The entire Mayfair collection incorporates LED lighting and comes in various finishes: white, black, gold, and copper.

Spec sheet



Finish

- 20 Gold
Gold
- 38 Terra Dark
NCS S 5040-Y70R
- 18 Graphite
Mayfair RAL 7016
- 23 Warm White
NCS S 0502-Y50R
- 25 Beige D1
NCS S 4005-Y50R

LED

2700 K

Control

PUSH 2 / Optical sensor

Electrical connection Surface

Light source 1x LED STRIP+24V 2.4W
Light source 1x LED STRIP+24V 2.4W

LED CRI>90 1841 lm 123

Driver Constant Voltage 100~240 V 50/60 Hz

Dimmer LED IP20 Bi-volt  Dry Location

Remarks Sensor optical dimmer


Application Floor and Table

Packaging 1 Box
59.06 in x 13.39 in x 12.6 in
Gross weight 25.77 lbs
Net weight 23.19 lbs
Vol. 5.7634 ft3



Lighting effect

Indirect lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data



All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

Design By Diego Fortunato

The Mayfair lamps are a Diego Fortunato design proposal. The lamp is a re-imagining of the pendants traditionally used over billiards tables. An innovative and fresh approach to lighting. The entire Mayfair collection incorporates LED lighting and comes in various finishes: white, black, gold, and copper.

Spec sheet




Optional: undefined

Finish	25 Beige D1 NCS S 4005-Y50R 23 Warm White NCS S 0502-Y50R 20 Gold Gold 38 Terra Dark NCS S 5040-Y70R 18 Graphite RAL 7016
LED	2700 K
Control	DALI / 1-10V / NO DRIVER
Electrical connection	Surface / Built-in M / Remote Micro / Remote XXS / Surface Free Wire
Light source	1 x LED STRIP 24V 12.6W
Light source	1 x LED STRIP 24V 12.6W
LED	CRI>90 1841 lm 123
Driver	Constant Voltage 100~240 V 50/60 Hz
	Dimmable LEDIP20Bi-volt UL Dry Location
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 12.48 in x 12.48 in x 19.84 in Gross weight 7.93 lbs Net weight 7.14 lbs Vol. 1.7869 ft3

Lighting effect

Indirect lighting

Lamp that emits an upward or backward beam that is reflected by the ceiling or wall.



Photometric Data

