




Gogan

Patricia Urquiola, 2019




Gogan derives its name from the word describing the stones placed on the banks of Japanese rivers and lakes to protect and beautify the banks. Similarly, in seating, the harmony between the elements is provided by their not-so regular shape, joints and position.



- A** Polyurethane foam with differentiated densities
- B** Wooden and wooden-derived structure
- C** Belted seat on wooden and wooden-derived base structure




Backseat Structure	Wooden and wooden-derived structure and polyurethane foam with differentiated densities. Polyester lining, for all the versions with removable covers.
Seat Structure	Wooden and wooden-derived base with belted seat and polyurethane foam with differentiated densities. The compositions feature a supporting steel structure. Polyester lining, for all the versions with removable cover. Glides in black polypropylene screwed to the structure.
Seat Height	Without applied load: sofas 17¼", armchair 16½".
Upholstery	The Gogan collection covers are removable, exception made for the leather versions. For the recommended fabrics see the table on pages 6-9.

GG0001 Armchair	GG0018 2-Seater Sofa major	GG0003 3-Seater Sofa
		

Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.


GG0CA1

Composition CA1R - CA1L




GG0CA2

Composition CA2R - CA2L




GG0CB1

Composition CB1




GG0CB2

Composition CB2




GG0CC1

Composition CC1




GG0CC2

Composition CC2




GG0CC3

Composition CC3R - CC3L




GG0SP2

Composition SP2



GG0SP3


Composition SP3R - SP3L



Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.


GG0SP4

Composition SP4R - SP4L




GG0SP5

Composition SP5R - SP5L



GG0SP6

Composition SP6R - SP6L



LLOOKE

Optional Cushion 55 × 45



CU104K

Optional Cushion 40 × 40



CU1080 / CU1084

One-color/Two-colors Round cushion



Moroso reserves the right to modify any design and change any technical specifications of any product at any time without prior notice. The drawings do not define the product details; the dimensions reported are indicative and may be subject to change.

USAGE CATEGORIES

S	Soft Use	M	Medium Use	H	Heavy Use
	Cosy and natural, with limited wear resistance		Robust and durable, easy to maintain		High technical values, very robust and durable
	DASDIA		BOUCLÉ		ZANZIBAR
	DRIPPING		CLUNIS		
	FURY		LHATI		
	LAIDAS		FUZZY		
	SAMOIEDO		LONDON		
	TRONO		ORSETTO		
	YETI		PASCA		
			VIEW		
			ZAMPOGNA		

BOUCLÉS

**M** **BOUCLÉ**

Typology: bouclé
Composition: 47% polyester, 44% cotton, 1% elastomer, 8% other fibres
Height: approx. 140 cm
Weight: 570 g/sqm
Abrasion resistance: 50.000 cycles
Pilling resistance: 3

CAT. **Q**Hanger: **FOREST WANDERING**
147 + 148 + 149 + 150

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S** **DASDIA**

Typology: bouclé
Composition: 45% cotton, 16% viscose, 14% wool, 13% acrylic, 10% linen, 2% polyamide
Height: approx. 140 cm
Abrasion resistance: 35.000 cycles

CAT. **S**Hanger: **TOPPINGS**
154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.


**M** **CLUNIS**

Typology: bouclé
Composition: 33% wool, 25% acrylic, 25% polyester, 15% cotton, 2% polyamide
Height: approx. 137 cm
Abrasion resistance: 40.000 cycles

CAT. **Y**Hanger: **TOPPINGS**
154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

**M FUZZY**

Typology: bouclé
Composition: 48% viscose, 36% wool, 13% cotton, 3% polyamide
Height: approx. 140 cm
Weight: 550 g/sqm
Abrasion resistance: 40.000 cycles
Colour fastness to artificial light: 6
Pilling resistance: 4-5

CAT. W
Hanger: TOPPINGS
154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**M ORSETTO**

Typology: bouclé
Composition: 34% viscose, 33% acrylic, 17% new wool, 8% polyester, 4% linen, 4% cotton
Height: approx. 140 cm
Weight: 940 g/sqm
Abrasion resistance: 50.000 cycles
Rubbing fastness: 5 (dry) 4 (wet)
Colour fastness to artificial light: 5
Pilling resistance: 4

CAT. S
Hanger: TOPPINGS
154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S TRONO***


Typology: bouclé
Composition: 37% viscose, 20% acrylic, 20% new wool, 15% polyester, 5% linen, 3% elastan
Height: approx. 140 cm
Weight: 750 g/sqm
Abrasion resistance: 25.000 cycles
Abrasion resistance: 4-5 (dry) 4 (wet)
Colour fastness to artificial light: 5
Pilling resistance: 4

CAT. W
Hanger: FOREST WANDERING
147 + 148 + 149 + 150

* In the same hanger it is possible to use also the Zampogna fabrics.

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

WOVEN FABRICS

**S LAIDAS**

Typology: woven fabric
Composition: 36% viscose, 32% polyester, 25% cotton, 7% linen
Height: approx. 140 cm
Abrasion resistance: 25.000 cycles

CAT. S
Hanger: TOPPINGS
154 + 155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.


COVERS: covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

**M PASCA**

Typology: woven fabric
Composition: 35% cotton, 25% polyester,
 14% viscose, 10% wool, 6% linen,
 2% polyamide
Height: approx. 140 cm
Abrasion resistance: 60.000 cycles

CAT. S
Hanger: TOPPINGS
155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.


**M VIEW**

Typology: woven fabric
Composition: 35% cotton, 25% polyester,
 14% viscose, 10% wool, 6% linen,
 2% polyamide
Height: approx. 140 cm
Abrasion resistance: 60.000 cycles

CAT. S
Hanger: TOPPINGS
155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

CHENILLES

**S DRIPPING**

Typology: chenille with 3D printing
Composition: 40% cotton, 20% acrylic,
 16% linen, 12% viscose, 8% wool,
 4% polyester
Height: approx. 120 cm
Weight: 480 g/sqm
Abrasion resistance: 14.000 cycles

CAT. Y
Hanger: TOPPINGS
155

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S FURY****

Typology: chenille
Composition: 51% viscose, 40% cotton,
 8% linen
Height: approx. 140 cm
Weight: 550 g/sqm
Abrasion resistance: 30.000 cycles
Rubbing fastness: 4-5(dry) 4 (wet)
Colour fastness to artificial light: 6
Pilling resistance: 4-5

CAT. W
Hanger: TOPPINGS
154

** In the same hanger it is possible to use also the Lhati fabrics.

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

**S SAMOIEDO**

Typology: chenille
Composition: 51% viscose, 26% cotton, 23% linen
Height: approx. 140 cm
Weight: 990 g/sqm
Abrasion resistance: 25.000 cycles

CAT. W
Hanger: VELVETS AND FURS
153

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**S YETI**

Typology: chenille
Composition: 44% viscose, 32% cotton, 19% linen, 5% polyester
Height: approx. 140 cm
Weight: 772 g/sqm
Abrasion resistance: 30.000 cycles
Rubbing fastness: 5 (dry)
Colour fastness to artificial light: 4
Pilling resistance: 3-4

CAT. S
Hanger: VELVETS AND FURS
153

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

VELVETS**M LONDON**

Typology: velvet
Composition: 100% cotton
Height: approx. 140 cm
Weight: 850 g/sqm
Abrasion resistance: 50.000 cycles
Rubbing fastness: 3-4 (dry)
Colour fastness to artificial light: 3/4-4

CAT. Y
Hanger: VELVETS AND FURS
152

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

**H ZANZIBAR**

Typology: velvet
Composition: 100% mohair (base: cotton)
Height: approx. 140 cm
Weight: 575 g/sqm
Abrasion resistance: 80.000 cycles
Rubbing fastness: 4-5 (dry) 4-5 (wet)
Colour fastness to artificial light: 5
Pilling resistance: 4-5

CAT. Z
Hanger: Velvets and Furs
152

Check with your Moroso representative to evaluate modifications, additions and available colours. The use of customer own fabric is possible previous technical verification by the company.

COVERS: covers must be washed or cleaned according to the instructions reported on the product label. In case of stains, always contact an authorised centre. **DISPOSAL:** in order to respect the environment, it is recommended, at the end of the product's life, to separate the various component parts as much as possible and follow the respective recycling, recovery or disposal procedures in accordance with the regulations in force in the countries concerned.

Moroso Spa

via Nazionale 60
33010 Cavallico, UD, Italy
T +39 0432 577 111
info@moroso.it

