


Light Cut Mini Endcap. Channel 70 Installation. 5/8" Ceiling


Designed by FLOS Architectural, 2013



Structural system in aluminium to integrate in plasterboard ceilings. It allows incorporation of projectors. Channel installation consists of 1 or 2 meter profiles, double inside and outside corners. It is possible to cut the profiles to any size.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications


Mounting	Ceiling recessed
Environments	Indoor dry location

Physical

Color	Black
-------	-------

Download


Family spec sheet	ZIP
Mounting instructions	PDF



Notes

Profile is available for 5/8" or 1/2" drywall applications System available in two standard openings: 2.8" and 5.5"

Accessories & Power Supply



OPTIONAL
Corner

08.8711.00

Light Cut Mini accessory for
vertical corner. Perimetral
Installation

Light Cut Mini Endcap. Channel 140 Installation


Designed by FLOS Architectural, 2013



Structural system in aluminium to integrate in plasterboard ceilings. It allows incorporation of projectors. Channel installation consists of 1 or 2 meter profiles, double inside and outside corners. It is possible to cut the profiles to any size.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location

Physical

Color	Black
Net weight (lb)	1.5

Download

Family spec sheet	ZIP
Mounting instructions	PDF



Notes

Endcap

Light Cut Mini Corner. Channel 70 Installation. 5/8" Ceiling


Designed by FLOS Architectural, 2013



Structural system in aluminium to integrate in plasterboard ceilings. It allows incorporation of projectors. Channel installation consists of 1 or 2 meter profiles, double inside and outside corners. It is possible to cut the profiles to any size.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications


Mounting	Ceiling recessed
Environments	Indoor dry location

Physical

Color	Black
-------	-------

Download


Family spec sheet	ZIP
Mounting instructions	PDF



Notes

Profile is available for 5/8" or 1/2" drywall applications System available in two standard openings: 2.8" and 5.5"

Accessories & Power Supply



OPTIONAL
Corner

08.8711.00

Light Cut Mini accessory for
vertical corner. Perimetral
Installation

Light Cut Mini Corner. Channel 140 Installation


Designed by FLOS Architectural, 2013



Structural system in aluminium to integrate in plasterboard ceilings. It allows incorporation of projectors. Channel installation consists of 1 or 2 meter profiles, double inside and outside corners. It is possible to cut the profiles to any size.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location

Physical

Color	Black
Net weight (lb)	2.3

Download

Family spec sheet	ZIP
Mounting instructions	PDF



Notes

Corner

Light Cut Mini Aluminium Profile 2 unit kit/1000 mm. Channel 70/140 Installation. 5/8" Ceiling


Designed by FLOS Architectural, 2013



Structural system in aluminium to integrate in plasterboard ceilings. It allows incorporation of projectors. Channel installation consists of 1 or 2 meter profiles, double inside and outside corners. It is possible to cut the profiles to any size.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Light Cut Mini 2.75" [70mm] Aluminum profile is adapted to 5/8" ceiling thickness

Main specifications


Mounting	Ceiling recessed
Environments	Indoor dry location

Physical

Color Black

Download


Family spec sheet	ZIP
Mounting instructions	PDF



Notes

Profile is available for 5/8" or 1/2" drywall applications System available in two standard openings: 2.8" and 5.5"

Accessories & Power Supply



OPTIONAL
Corner

08.8711.00

Light Cut Mini accessory for
vertical corner. Perimetral
Installation

Light Cut Mini Aluminium Profile 2 unit kit/2000 mm. Channel 70/140 Installation. 5/8" Ceiling


Designed by FLOS Architectural, 2013



Structural system in aluminium to integrate in plasterboard ceilings. It allows incorporation of projectors. Channel installation consists of 1 or 2 meter profiles, double inside and outside corners. It is possible to cut the profiles to any size.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Light Cut Mini 2.75" [70mm] Aluminum profile is adapted to 5/8" ceiling thickness

Main specifications

Mounting	Ceiling recessed
Environments	Indoor dry location

Physical

Color	Black
-------	-------


Download

Family spec sheet

Mounting instructions

ZIP


PDF



Notes

Profile is available for 5/8" or 1/2" drywall applications System available in two standard openings: 2.8" and 5.5"

Accessories & Power Supply



OPTIONAL
Corner

08.8711.00

Light Cut Mini accessory for
vertical corner. Perimetral
Installation