

North


5607

VIBIA

Design By Arik Levy

North Floor lamp, designed by Arik Levy, allows light where it is required with arms from the base to supply the light at any angle with adjustable rods. The base is supplied with black stones as a counterweight. North also has electronic control push dimming and a LED light source.

Spec sheet



Finish

- 24 Beige M1
NCS S 2005-Y50R
- 10 White
NCS S 0300-N
- 11 Black
NCS S 8500-N

LED

2700 K / 3000 K / 3500 K

Control

Push

Electrical connection

Surface

Light source

2 x LED 9W 350mA

LED

CRI>90 2082 lm 116

Driver

Constant Current 350 mA 110~240 V
50/60 Hz

Dimmer LED IP20  Dry Location

Remarks

Can be connected with or without plug.

Application

Floor and Table


Packaging

10 Box
18.7 in x 18.7 in x 18.7 in
Gross weight 197.25 lbs
Net weight 176.32 lbs
Vol. 6.8935 ft3



Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Photometric Data



Efficiency

100%

Total Flux

1637 lm

Maximum Value

553.86 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

North



5622

VIBIA

Design By Arik Levy

North Floor lamp, designed by Arik Levy, allows light where it is required with arms from the base to supply the light at any angle with adjustable rods. The base is supplied with black stones as a counterweight. North also has electronic control push dimming and a LED light source.

Spec sheet



Finish

10 White
NCS S 0300-N

11 Black
NCS S 8500-N

24 Beige M1
NCS S 2005-Y50R

LED

2700 K / 3000 K / 3500 K

Control

PUSH

Electrical connection Surface

Light source 3 x LED 9W 350mA

LED CRI>90 3123 lm 116

Driver

Constant Current 350 mA 110~240 V
50/60 Hz

Dimmer LED IP20  Dry Location

Remarks

Can be connected with or without plug.

Application

Floor and Table


Packaging

7 Box
18.7 in x 18.7 in x 18.7 in
Gross weight 207.27 lbs
Net weight 183.92 lbs
Vol. 7.3314 ft3



Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Photometric Data



Efficiency

100%

Total Flux

2456 lm

Maximum Value

553.85 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA

272 Fernwood Ave. Edison, NJ 08837. USA

T 732 417 1700 sales@vibia.com www.vibia.com/us/usa


HEADQUARTERS

Progrés 4-6. 08850 Gavá

(Barcelona - Spain)

North Wall lamp, designed by Arik Levy. A carbon fiber rod with hanging shade comes from the base of the fixture attached to the wall. Contains electronic control push-button dimming and a LED light source. The wall version may be connected with or without a plug.

Spec sheet



Finish

- 10 White
NCS S 0300-N
- 24 Beige M1
NCS S 2005-Y50R
- 11 Black
NCS S 8500-N

LED

2700 K / 3000 K / 3500 K

Control

PUSH

Electrical connection

Surface

Light source

1 x LED 9W 350mA

LED

CRI>90 1041 lm 116

Driver

Constant Current 350 mA 110~240 V
50/60 Hz

Dimmer LED IP20 Bi-volt  Dry Location

Remarks

Can be connected with or without plug.

Application

Wall


Packaging

3 Box
24.8 in x 7.48 in x 4.72 in
Gross weight 15.64 lbs
Net weight 9.14 lbs
Vol. 1.2254 ft3



Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Photometric Data



Efficiency 100%

Total Flux 819 lm
Maximum Value 553.45 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

North


5635

VIBIA

Design By Arik Levy

North Wall lamp, designed by Arik Levy. A carbon fiber rod with hanging shade comes from the base of the fixture attached to the wall. Contains electronic control push-button dimming and a LED light source. The wall version may be connected with or without a plug.

Spec sheet



Finish

11 Black
NCS S 8500-N

10 White
NCS S 0300-N

24 Beige M1
NCS S 2005-Y50R

LED

2700 K / 3000 K / 3500 K

Control

Push

Electrical connection

Surface

Light source

2 x LED 9W 350mA

LED

CRI>90 2082 lm 116

Driver

Constant Current 350 mA 110~240 V
50/60 Hz

Dimmer LED IP20  Dry Location

Remarks

Can be connected with or without plug.

Application

Wall


Packaging

4 Box
21.14 in x 21.14 in x 14.17 in
Gross weight 32.16 lbs
Net weight 16.08 lbs
Vol. 6.1342 ft3

Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavá
(Barcelona - Spain)

North

5660

VIBIA

Design By Arik Levy

North pendant light designed by Arik Levy. A lacquered aluminum shade with a white interior holds the LED light source while suspended by a black cable. A round steel canopy matches the finish of the shade. Available in charcoal gray, matte beige or matte white lacquer.

Spec sheet




Optional: undefined

Finish	 10 White NCS S 0300-N
	 24 Beige M1 NCS S 2005-Y50R
	 11 Black NCS S 8500-N
LED	2700 K / 3000 K / 3500 K
Control	NO DRIVER / DALI-2 / 0-10V
Electrical connection	Remote XXS / Remote Micro / Surface / Surface Free Wire / Built-in
Light source	1 x LED 9W 350mA
LED	CRI>90 1041 lm 116
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
Remarks	     Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 8.54 in x 8.54 in x 9.45 in Gross weight 5.07 lbs Net weight 2.75 lbs Vol. 0.3991 ft3



Lighting effect

Hidden Diffuser

Subtly directed diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	100%
Total Flux	819 lm
Maximum Value	554.45 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

North

5662

VIBIA

Design By Arik Levy

North pendant light designed by Arik Levy. A lacquered aluminum shade with a white interior holds the LED light source while suspended by a black cable. A round steel canopy matches the finish of the shade. Available in charcoal gray, matte beige or matte white lacquer.

Spec sheet




Optional: undefined

Finish	24 Beige M1 NCS S 2005-Y50R 10 White NCS S 0300-N 11 Black NCS S 8500-N
LED	2700 K / 3000 K / 3500 K
Control	DALI-2 / NO DRIVER / 0-10V
Electrical connection	Built-in M / Surface Free Wire / Remote Micro / Remote XXS /
Light source	1 x LED 9W 350mA
LED	CRI>90 1041 lm 116
Driver	Constant Current 350 mA 120~277 V 50/60 Hz F Dimmable LED IP20 Multi-volt
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 21.14 in x 21.14 in x 14.17 in Gross weight 10.57 lbs Net weight 4.96 lbs Vol. 3.6657 ft3



Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Photometric Data



Efficiency	100%
Total Flux	811 lm
Maximum Value	576.89 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

North



5664

VIBIA

Design By Arik Levy

North pendant light designed by Arik Levy. A lacquered aluminum shade with a white interior holds the LED light source while suspended by a black cable. A round steel canopy matches the finish of the shade. Available in charcoal gray, matte beige or matte white lacquer.

Spec sheet




Optional: undefined

Finish	10 White NCS S 0300-N 24 Beige M1 NCS S 2005-Y50R 11 Black NCS S 8500-N
LED	2700 K / 3000 K / 3500 K
Control	0-10V / DALI-2 / NO DRIVER
Electrical connection	Remote Micro / Built-in M / Surface Free Wire / Remote XXS / Surface
Light source	1 x LED 9W 350mA
LED	CRI>90 1041 lm 116
Driver	Constant Current 350 mA 120~277 V 50/60 Hz F Dimmable LED IP20 Multi-volt UL
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	1 Box 28.62 in x 28.62 in x 12.6 in Gross weight 13.77 lbs Net weight 6.5 lbs Vol. 5.9718 ft3



Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Photometric Data



Efficiency	100%
Total Flux	889 lm
Maximum Value	402.46 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

North


5666

VIBIA

Design By Arik Levy

North floor-pendant is recognized for its reinvention of the floor and pendant light category. Light is allowed where it's required from the counterweight placed on the ground that guides the electrical steel cable and suspended rod to any angle.

Spec sheet



Finish

- 10 White
NCS S 0300-N
- 24 Beige M1
NCS S 2005-Y50R
- 11 Black
NCS S 8500-N

LED

2700 K / 3000 K / 3500 K

Control

Push

Electrical connection Surface

Light source 1 x LED 9W 350mA

LED CRI>90 1041 lm 116

Driver

Constant Current 350 mA 110~240 V
50/60 Hz

Dimmer LED IP20 Bi-volt  Dry Location

Remarks

Cord and plug

Application

Floor and Table


Packaging

2 Box
88.58 in x 4.92 in x 4.92 in
Gross weight 13.66 lbs
Net weight 8.92 lbs
Vol. 1.6386 ft3



Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Photometric Data



Efficiency

100%

Total Flux

819 lm

Maximum Value

553.45 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

North



5670

VIBIA

Design By Arik Levy

North pendant light designed by Arik Levy. A lacquered aluminum shade with a white interior holds the LED light source while suspended by a black cable. A round steel canopy matches the finish of the shade. Available in charcoal gray, matte beige or matte white lacquer.

Spec sheet



Optional: undefined

Finish

- 10 White
NCS S 0300-N
- 24 Beige M1
NCS S 2005-Y50R
- 11 Black
NCS S 8500-N

LED

2700 K / 3000 K / 3500 K

Control

0-10V / DALI-2

Electrical connection

Surface

Light source

1 x LED 9W 350mA

LED

CRI>90 1041 lm 116

Driver

Constant Current 350 mA 120~277 V
50/60 Hz

F Dimmable LED IP20 Multi-volt 

Remarks

Cable can be adjusted in the field.
157" max.

Application

Pendant


Packaging

2 Box
81.5 in x 4.92 in x 4.92 in
Gross weight 12.67 lbs
Net weight 4.41 lbs
Vol. 1.5397 ft3



Lighting effect

General lighting -

Fixture suitable for general ambient illumination,
distributing light mainly upward and/or downward.



Photometric Data



Efficiency

100%

Total Flux

819 lm

Maximum Value

553.45 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.


USA & CANADA
272 Fernwood Ave. Edison, NJ 08837. USA
T 732 417 1700 sales@vibia.com www.vibia.com/us/usa

HEADQUARTERS
Progrés 4-6. 08850 Gavà
(Barcelona - Spain)

Design By Arik Levy

North pendant light designed by Arik Levy. A lacquered aluminum shade with a white interior holds the LED light source while suspended by a black cable. A round steel canopy matches the finish of the shade. Available in charcoal gray, matte beige or matte white lacquer.




Spec sheet



Optional: undefined

Finish	10 White NCS S 0300-N 24 Beige M1 NCS S 2005-Y50R 11 Black NCS S 8500-N
LED	2700 K / 3000 K / 3500 K
Control	0-10V / DALI-2
Electrical connection	Surface
Light source	1 x LED 9W 350mA
LED	CRI>90 1041 lm 116
Driver	Constant Current 350 mA 120~277 V 50/60 Hz F DimmableLEDIP20Multi-voltUL
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	2 Box 21.14 in x 21.14 in x 14.17 in Gross weight 18.17 lbs Net weight 6.61 lbs Vol. 4.8064 ft3

Lighting effect
General lighting -
Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Efficiency	100%
Total Flux	811 lm
Maximum Value	576.89 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

North



5674

VIBIA

Design By Arik Levy

North pendant light designed by Arik Levy. A lacquered aluminum shade with a white interior holds the LED light source while suspended by a black cable. A round steel canopy matches the finish of the shade. Available in charcoal gray, matte beige or matte white lacquer.




Spec sheet



Optional: undefined

Finish	24 Beige M1 NCS S 2005-Y50R 11 Black NCS S 8500-N 10 White NCS S 0300-N
LED	2700 K / 3000 K / 3500 K
Control	0-10V / DALI-2
Electrical connection	Surface
Light source	1 x LED 9W 350mA
LED	CRI>90 1041 lm 116
Driver	Constant Current 350 mA 120~277 V 50/60 Hz
Remarks	Cable can be adjusted in the field. 157" max.
Application	Pendant
Packaging	2 Box 28.62 in x 28.62 in x 12.6 in Gross weight 21.37 lbs Net weight 8.15 lbs Vol. 7.1124 ft3

Lighting effect
General lighting -
Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Efficiency	100%
Total Flux	889 lm
Maximum Value	402.46 cd/klm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com